



NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

NOTE: 1. GEOTEXTILE IS TO BE PLACED OVER THE ENTIRE AREA PRIOR TO STONE PLACEMENT.

NOTE: 1. ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE NOTED.

NOTE: 1. TO BE USED UNDER APPROPRIATE DRAINAGE CIRCUMSTANCES BETWEEN DRIVE AND DRIVEWAY.

NOTE: 1. FENCE POSTS TO BE LOCATED AT 2.0 m INTERVALS. FABRIC SHALL BE CONNECTED TO THE FENCE AT 1.0 m INTERVALS.

CREDIT VALLEY CONSERVATION AUTHORITY
1. GRANTING OF A PERMIT DOES NOT ABSOLVE THE PROPRIETOR/APPLICANT AND ITS ASSIGNED AGENTS FROM THEIR RESPONSIBILITIES TO COMPLY WITH ALL APPLICABLE MUNICIPAL BY-LAWS AND PART 1 (SPILLS) OF THE ENVIRONMENTAL PROTECTION ACT, R.S.O. 1990.

EROSION & SEDIMENT CONTROL
1. SEDIMENT CONTROLS ARE REQUIRED IN ACCORDANCE WITH CITY OF MISSISSAUGA BY-LAW 266 AND SUBSEQUENT AMENDMENTS AND THE REQUIRED PERMIT SHALL BE OBTAINED BY THE OWNER PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION WORKS.

STANDARD SITE PLAN DEVELOPMENT NOTES
(A) DEVELOPMENT DIVISION, PLANNING AND BUILDING DEPARTMENT
1. I HAVE HEREBY CERTIFIED THAT THIS DRAWING CONFORMS AS TO THE TECHNICAL AND PROFESSIONAL STANDARDS AS APPROVED BY THE CITY OF MISSISSAUGA UNDER FILE NUMBER P-12.

GENERAL NOTES
1. THE CONTRACTOR IS TO CHECK AND VERIFY ALL DIMENSIONS. IF ANY DISCREPANCIES, THEY MUST BE REPORTED TO THE ENGINEER IMMEDIATELY PRIOR TO CONSTRUCTION.

(B) DESIGN DIVISION, PLANNING AND BUILDING DEPARTMENT
1. DRIVEWAYS SHALL BE NOTED WITHIN A 3% MAXIMUM SLOPE AT THE PROPERTY LINES AND WITHIN THE DRIVEWAY.

LEGEND
1. EXISTING ELEVATION TO REMAIN
2. EXISTING ELEVATION
3. DIRECTION OF SURFACE FLOW

SITE DATA
ZONING: RESIDENTIAL
SITE AREA: 0.9287 ha
ROOF AREA: 0.1939 ha

PROPOSED 4 STOREY BUILDING 'SIXTY SIX TWENTY'
LOT 21, 22. REG. PLAN 43M-1710
6620 ROTHSCHILD TRAIL
Di BLASIO HOMES
6620 ROTHSCHILD TRAIL, MISSISSAUGA, ON L5W 6A6 TEL (905)890-2263