4.2.6 R5 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.2.6.1	Exception: R5-1	Map # 06, 22	By-law:		
In a R5-1 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations					
4.2.6.1.1	Minimum lot area - interio	or lot	275 m ²		
4.2.6.1.2 Minimum lot area - corner lot 385 m ²					
4.2.6.1.3	Minimum lot frontage - co	rner lot	13.0 m		

4.2.6.2	Exception: R5-2	Map # 22	By-law:			
	In a R5-2 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.2.1	4.2.6.2.1 The provisions contained in Subsection 4.1.7 of this By-law shall not apply					
4.2.6.2.2	Minimum setback of a habi	table room to a railway right-	of-way	20.0 m		

4.2.6.3	Exception: R5-3	Map # 46W	By-law:				
	In a R5-3 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulation							
4.2.6.3.1	Minimum front yard	l	7.5 m				

4.2.6.4	Exception: R5-4	Map # 22, 29, 36W, 37E, 37W, 38W, 39E, 56	By-law:			
In a R5-4 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulation						
4.2.6.4.1	Maximum lot coverage		45%			

4.2.6.5	Exception: R5-5	Map # 30, 37W, 38E, 39E, 39W, 45E, 54W, 55, 56	By-law:			
In a R5-5 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations	Regulations					
4.2.6.5.1	Minimum lot area - interio	340 m^2				
4.2.6.5.2	.2.6.5.2 Minimum lot area - corner lot 45					
4.2.6.5.3	2.6.5.3 Minimum lot frontage - interior lot					
4.2.6.5.4	Minimum lot frontage - co	14.5 m				
4.2.6.5.5	Minimum interior side yar	d - interior lot	1.2 m			

4.2.6.6	Excepti	on: R5-6	Map # 46W	By-law:		
In a R5-6 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Additional Per	mitted U	U se				
4.2.6.6.1	(1)	Linked Dwelling				
Regulation	Regulation					
4.2.6.6.2 A linked dwelling shall comply with the R5 zone regulations contained in Subsection 4.2.1 of this By-law except that:						
	(1)	minimum lot front	age - interior lot	9.0 m		

4.2.6.7	Exception: R5-7	Map # 09	By-law:			
	In a R5-7 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.7.1	Minimum front yard		6.0 m			
4.2.6.7.2	Minimum interior side yar	rd - interior lot	1.2 m			

4.2.6.8	Exception: R5-8	Map # 18, 22, 25, 26, 29 30, 55	9, By-law:				
In a R5-8 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:							
Regulations	Regulations						
4.2.6.8.1	275 m ²						
4.2.6.8.2	Minimum lot frontag	9.0 m					
4.2.6.8.3	Maximum gross floor	0.6 times the lot area					

4.2.6.9	Exception: R5-9	Map # 30	By-law: 0181-2018/LPAT Order 2019 February 15				
	In a R5-9 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply: Regulations						
4.2.6.9.1	4.2.6.9.1 Maximum gross floor area - residential 0.6 times the lot area						
4.2.6.9.2	Minimum interior side yar side lot line of a townhouse	lso the 1.2 m					

4.2.6.10	Exception: R5-10	Map # 22, 37E, 37W	By-law:			
In a R5-10 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations	Regulations					
4.2.6.10.1	Minimum lot area - interio	r lot	275 m^2			
4.2.6.10.2	Minimum lot area - corner	lot	405 m^2			
4.2.6.10.3	Maximum lot coverage		45%			

4.2.6.11	Exception: R5-11	Map # 22, 38E	By-law:		
In a R5-11 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations					
4.2.6.11.1	Minimum lot area - interio	r lot	290 m^2		
4.2.6.11.2	Maximum lot coverage		45%		
4.2.6.11.3	Minimum exterior side yar Parkway or Central Parkwa	rd - lots abutting Confederation y West	on 6.0 m		


4.2.6.12	Exception: R5-12	Map # 27	By-law:			
	In a R5-12 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
4.2.6.12.1						
4.2.6.12.2	Minimum lot frontage		9.0 m			

4.2.6.13	Exception: R5-13	Map # 54W	By-law:				
	In a R5-13 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.13.1	Minimum rear yard where	lands abut a B zone	19.0 m				
4.2.6.13.2	Minimum setback of all buildings and structures and swimming pools to all lands zoned U-3		13.0 m				

4.2.6.14	Exception: R5-14	Map # 37W, 44W, 45E, 55	By-law:			
In a R5-14 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations						
4.2.6.14.1	Minimum lot area - interio	or lot	340 m^2			
4.2.6.14.2	Minimum lot area - corner	440 m^2				
4.2.6.14.3	Minimum lot frontage - int	terior lot	11.0 m			
4.2.6.14.4	Minimum lot frontage - co	rner lot	14.0 m			
4.2.6.14.5	Minimum front yard - inte	rior lot	6.0 m			

4.2.6.15	Exception: R5-15	Map # 55	By-law:			
In a R5-15 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulation						
4.2.6.15.1 Minimum rear yard where lands abut a B zone 15.0			15.0 m			

4.2.6.16	Exception: R5-16	5	Map # 08	By-law:				
	In a R5-16 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:							
Regulations								
4.2.6.16.1	Minimum lot are	ea			310 m^2			
4.2.6.16.2	Minimum lot frontage 10.0 m							
4.2.6.16.3	Minimum front yard				5.75 m			
4.2.6.16.4	· ·		side yard - interior l d on Schedule R5-16 o	·	1.8 m			
	of a lot t	hat adjoins	side yard - interior l s an attached garage, t lule R5-16 of this Exc	unless otherwise	0.0 m			
4.2.6.16.5	Minimum rear yard				3.75 m			
4.2.6.16.6	All site development plans shall comply with Schedule R5-16 of this Exception							



Schedule R5-16 Map 08


4.2.6.17	Exception: R5-17	Map # 56	By-law:				
	In a R5-17 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.17.1	Minimum lot frontage - int	terior lot	4.5 m				
4.2.6.17.2	Minimum setback of a deta West	ched dwelling to Britannia Ro	oad 13.5 m				

4.2.6.18	Exception: R5-18	Map # 36W	By-law:				
II .	In a R5-18 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulation							
4.2.6.18.1	Minimum rear yard where	lands abut an E2-1 zone	15.0 m				

4.2.6.19	Exception: R5-19	Map # 56	By-law:				
	In a R5-19 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.19.1	Minimum lot area - interio	r lot	260 m^2				
4.2.6.19.2	Minimum lot area - corner	lot	305 m^2				
4.2.6.19.3	Minimum lot frontage - int	terior lot	12.2 m				
4.2.6.19.4	Minimum front yard		3.65 m				
4.2.6.19.5	Minimum exterior side yar	·d	3.65 m				
4.2.6.19.6	Minimum interior side yar	d	3.5 m on one side and 0.9 m on the other side				
4.2.6.19.7	Minimum rear yard		7.0 m				
4.2.6.19.8	Maximum encroachment of exterior side yards	a porch, into the required fro	nt and 1.8 m				
4.2.6.19.9	The area of all porches in f excluded from the calculation	ront and exterior side yards son of lot coverage	shall be				

4.2.6.20	Exception: R5-20	Map # 10, 26, 37W, 46W	By-law:				
	In a R5-20 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.20.1	Minimum lot frontage - int	terior lot	9.0 m				
4.2.6.20.2	Minimum lot frontage - co	rner lot	13.0 m				
4.2.6.20.3	Minimum interior side yar	d - interior lot	1.2 m on one side and 0.45 m on the other side				

4.2.6.21	Exception: R5-21	Map # 22	By-law:				
	In a R5-21 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.21.1	The areas identified on Schedule R5-21 of this Exception as a tree preservation area, shall only be used for conservation purposes, and no buildings or structures , swimming pools , tennis courts or any like recreational facilities, except for fences along the lot lines , shall be permitted						
4.2.6.21.2	Minimum setback of a deta area identified on Schedule	ched dwelling to a tree preser R5-21 of this Exception	vation 7.5 m				



Schedule R5-21 Map 22

4.2.6.22	Exception: R5-22	Map # 53W	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R5-22 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.22.1	Maximum lot coverage		45%			
4.2.6.22.2	Minimum front yard	3.65 m				
4.2.6.22.3	Minimum exterior side yar	3.65 m				
4.2.6.22.4	Minimum setback to garage	e face	4.5 m			
4.2.6.22.5	Maximum encroachment of exterior side yard	a porch into the required fro	nt or 1.8 m			
4.2.6.22.6	The area of all porches in f i excluded from the calculation	ront and exterior side yards on of lot coverage	shall be			

4.2.6.23	Exception: R5-23	Map # 53W	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R5-23 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.23.1	Maximum lot coverage		45%			
4.2.6.23.2	Minimum front yard	Minimum front yard				
4.2.6.23.3	Minimum exterior side ya	3.65 m				
4.2.6.23.4	.23.4 Minimum setback to garage face					
4.2.6.23.5	Maximum encroachment of exterior side yard	f a porch into the require	ed front or 1.8 m			
4.2.6.23.6	The area of all porches in f excluded from the calculati	•	ards shall be			


4.2.6.24	Exception: R5-24	Map # 27	By-law:				
	In a R5-24 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.24.1	Minimum lot frontage - int	terior lot	9.2 m				
4.2.6.24.2	Minimum front yard		7.5 m				
4.2.6.24.3	Minimum interior side yar	rd	1.2 m				
4.2.6.24.4	Maximum driveway width		3.8 m				

4.2.6.25	Exception: R5-25	Map # 53W	By-law:				
	In a R5-25 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.25.1	Maximum lot coverage		45%				
4.2.6.25.2	Minimum exterior side yar	·d	3.65 m				
4.2.6.25.3	Maximum encroachment of exterior side yard	a porch , into the required fro	ont or 1.8 m				

4.2.6.26	Exception: R5-26	Map # 22	By-law: 0181-2018/LPA Order 2019 February 15				
	In a R5-26 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.26.1	Minimum lot area - interio	or lot	260 m^2				
4.2.6.26.2	Minimum lot area - corner	· lot	335 m^2				
4.2.6.26.3	Minimum lot frontage - int	terior lot	11.0 m				
4.2.6.26.4	Minimum lot frontage - co	rner lot	14.3 m				
4.2.6.26.5	Maximum lot coverage		45%				
4.2.6.26.6	Minimum front yard		3.0 m				
4.2.6.26.7	Minimum exterior side yar	rd	3.5 m				
4.2.6.26.8	Minimum rear yard		7.0 m				
4.2.6.26.9	Minimum setback to garag	e face	7.0 m				
4.2.6.26.10	Maximum driveway width		3.8 m				
4.2.6.26.11	Maximum encroachment of	f a porch , into the requi	red front yard 0.65 m				
4.2.6.26.12	Maximum encroachment of exterior side yard	f a bay window into the	required 0.5 m				
4.2.6.26.13	The area of all porches in the calculation of lot cover		excluded from				


4.2.6.27	Exception: R5-27	Map # 55	By-law: 0181-2018/LPAT Order 2019 February 15			
In a R5-27 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations						
4.2.6.27.1	Minimum lot area - interio	or lot	280 m^2			
4.2.6.27.2	Minimum lot area - corner lot 390 m ²					
4.2.6.27.3	Minimum lot frontage - int	terior lot	9.8 m			
4.2.6.27.4	Minimum lot frontage - corner lot 13.0 m					
4.2.6.27.5	Minimum setback to garage	e face	7.0 m			

4.2.6.28	Exception: R5-28	Map # 36E	By-law: 02	208-2022			
	In a R5-28 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.28.1	Maximum number of dwell	ing units on all lands zoned	R5-28	21			
4.2.6.28.2	Minimum landscaped area	l		55% of lot area			
4.2.6.28.3	Minimum separation between detached dwellings			1.2 m			
4.2.6.28.4	2.6.28.4 Height of all buildings and structures shall be measured from established grade						
4.2.6.28.5	•	to project beyond the rear wathe buildable area identified eption					
4.2.6.28.6	Minimum number of parki	ng spaces per dwelling unit		3			
4.2.6.28.7	All site development plans of this Exception	shall comply with Schedule F	R5-28				



Schedule R5-28 Map 36E

4.2.6.29	Exception: R5-29	Map # 38W	By-law:			
In a R5-29 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations	Regulations					
4.2.6.29.1	4.2.6.29.1 Height of all buildings and structures shall be measured from established grade					
4.2.6.29.2	.2 All site development plans shall comply with Schedule R5-29 of this Exception					



Schedule R5-29 Map 38W

4.2.6.30	Exception: R5-30	Map # 55	By-law:		
In a R5-30 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations					
4.2.6.30.1	Minimum lot area - interior lot			330 m^2	
4.2.6.30.2	Minimum lot frontage - interior lot			10.7 m	
4.2.6.30.3	Maximum encroachment of stairs, into a required rear y	a porch and/or deck , inclusivered	ve of	2.5 m	
4.2.6.30.4		windows and other architectuoundation, into a required yar		0.6 m	

4.2.6.31	Exception: R5-31	Map # 55	By-law: 0181-2018/LPAT Order 2019 February 15		
In a R5-31 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations					
4.2.6.31.1	Maximum lot coverage		45%		
4.2.6.31.2	5.31.2 Minimum exterior side yard 4.0 n				
4.2.6.31.3	Minimum setback to garag	e face	4.0 m		
4.2.6.31.4	Maximum garage width: measured from the inside fa	6.0 m			

4.2.6.32	Exception: R5-32	Map # 55	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R5-32 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.32.1	Maximum lot coverage		45%			
4.2.6.32.2	Minimum exterior side	4.0 m				
4.2.6.32.3	Minimum setback to gar	rage face	5.0 m			
4.2.6.32.4	Minimum setback of a d	etached dwelling to Tenth Line	West 4.5 m			
4.2.6.32.5	Maximum garage width measured from the inside	: e face of the garage side walls	6.0 m			


4.2.6.33	Exception: R5-33	Map # 55	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R5-33 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.33.1	Minimum lot area - interio	or lot	290 m^2			
4.2.6.33.2	Minimum lot area - corner	375 m^2				
4.2.6.33.3	Minimum lot frontage - co	12.5 m				
4.2.6.33.4	Maximum lot coverage	45%				
4.2.6.33.5	Minimum exterior side yar	·d	3.5 m			
4.2.6.33.6	Minimum setback to garage	4.5 m				
4.2.6.33.7	Minimum setback of a deta	West 4.5 m				
4.2.6.33.8	Maximum garage width: measured from the inside fa	ace of the garage side walls	6.0 m			

4.2.6.34	Exception: R5-34	Map # 09	By-law:				
	In a R5-34 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.34.1	Minimum lot area - interio	r lot	225 m^2				
4.2.6.34.2	Minimum lot area - corner lot		410 m^2				
4.2.6.34.3	Minimum lot frontage - int	7.5 m					
4.2.6.34.4	Minimum lot frontage - con	rner lot	12.5 m				
4.2.6.34.5	Maximum gross floor area	- residential	0.6 times the lot area				
4.2.6.34.6	Minimum front yard		7.5 m				
4.2.6.34.7	Minimum setback of a deta West	ched dwelling to Lakeshore I	Road 13.5 m				

4.2.6.35	Exception: R5-35	Map # 30	By-law:		
In a R5-35 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Additional Per	mitted Use				
4.2.6.35.1	4.2.6.35.1 (1) Linked Dwelling				
Regulation					
4.2.6.35.2	5.2 A linked dwelling shall comply with the R5 zone regulations contained in Subsection 4.2.1 of this By-law				

4.2.6.36	Exception: R5-36	Map # 03	By-law:				
	In a R5-36 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Additional Pe	rmitted Use						
4.2.6.36.1	(1) Linked Dwelling						
Regulations							
4.2.6.36.2	Minimum lot area - interi	275 m ²					
4.2.6.36.3	Minimum lot frontage - interior lot 9.0 m						
4.2.6.36.4	Maximum gross floor area - residential 0.6 times the lot area						
4.2.6.36.5	A linked dwelling shall comply with the R5 zone regulations contained in Subsection 4.2.1 of this By-law except that:						
	(1) minimum lot area	- interior lot	275 m^2				
	(2) minimum lot fron	tage - interior lot	9.0 m				
	(3) maximum gross fl	oor area - residential	0.6 times the lot area				

4.2.6.37	Exception: R5-37	Map # 22	By-law:			
	In a R5-37 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.37.1	Minimum lot area - interior lot			270 m^2		
4.2.6.37.2	Minimum lot frontage - interior lots containing a buffer area identified on Schedule R5-37 of this Exception			12.2 m		
4.2.6.37.3	Minimum setback of a detached dwelling to a buffer area 6.0 m identified on Schedule R5-37 of this Exception			6.0 m		
4.2.6.37.4	any like recreational facilities	, swimming pools , tennis cou es, except for fences along the hin the buffer area identified eption	elot			



Schedule R5-37 Map 22

4.2.6.38	Exception: R5-38	Map # 56	By-law: <i>deleted by 0137-2013</i> 0229-2014	3,		
	n a R5-38 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except hat the following uses /regulations shall apply:					
Regulations						
4.2.6.38.1	Minimum lot frontage - int	terior lot	10.4 m			
4.2.6.38.2	Maximum lot coverage		48%			
4.2.6.38.3	Minimum interior side yar	ed B 3.1 m				
4.2.6.38.4	Minimum rear yard - inter	6.5 m				
4.2.6.38.5	38.5 Maximum encroachment of a porch , exclusive of stairs, into the required front yard					
4.2.6.38.6	Minimum setback of stairs	from the front lot line	1.3 m			
4.2.6.38.7	Maximum encroachment of 3.0 m wide, consisting of a required interior side yard	nto a				
4.2.6.38.8	Maximum driveway width 11.0 m	s than 3.5 m				
4.2.6.38.9	The area of all porches shall lot coverage	ll be excluded from the calcul	ation of			

4.2.6.39	Exception: R5-39	Map # 39E	By-law: 0181-2018/LPAT Order 2019 February 15				
	In a R5-39 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations							
4.2.6.39.1	Minimum lot area - interio	or lot	350 m^2				
4.2.6.39.2	Minimum front yard		7.5 m				
4.2.6.39.3	Minimum rear yard	3.5 m					
4.2.6.39.4	Minimum setback to garage	e face	4.5 m				
4.2.6.39.5	Maximum encroachment of a porch , inclusive of stairs, into a required rear yard 2.0 m						
4.2.6.39.6	Each detached dwelling sh	all have a garage					
4.2.6.39.7	A detached garage shall be	permitted in the front yard					
4.2.6.39.8	Maximum floor area of a g	51 m ²					
4.2.6.39.9	Maximum height of a detact	ched garage	7.3 m				
4.2.6.39.10	The lot line abutting Thoma rear lot line	as Street shall be deemed to be	e the				

4.2.6.40	Exception: R5-40	Map # 06	By-law:			
that the following	In a R5-40 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulation						
4.2.6.40.1	Minimum setback of a deta rear lot line	ched dwelling to the most nor	therly	5.0 m		

4.2.6.41	Exception: R5-41	Map # 29	By-law:		
In a R5-41 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations	Regulations				
4.2.6.41.1	Maximum lot coverage		45%		
4.2.6.41.2	Maximum encroachment of front, interior or exterior	a porch or balcony into a rec side yard	uired 2.0 m		
4.2.6.41.3	Maximum driveway width		6.0 m		
4.2.6.41.4	Maximum garage width: measured from the inside fa	ice of the garage side walls	5.5 m		

4.2.6.42	Exception: R5-42	Map # 29	By-law:
	ne the permitted uses and applying uses /regulations shall app	•	specified for a R5 zone except
	ing uses/regulations shall app	му:	
Regulations			
4.2.6.42.1	Minimum lot area - interio	or lot	275 m^2
4.2.6.42.2	Minimum lot area - corner	365 m^2	
4.2.6.42.3	Maximum lot coverage	45%	
4.2.6.42.4	Maximum encroachment of front, interior or exterior	a porch or balcony into a red side yard	quired 2.0 m
4.2.6.42.5	Maximum driveway width		6.0 m
4.2.6.42.6	Maximum garage width:		5.5 m
	measured from the inside fa	ace of the garage side walls	

4.2.6.43	Exception: R5-43	^	By-law: 0181-2018/LPAT Order 2019 February 15			
	In a R5-43 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.43.1	Minimum lot frontage - interior lot		10.8 m			
4.2.6.43.2	Maximum lot coverage	42%				
4.2.6.43.3	The floor area of a covered excluded from the calculation	porch in a front yard shall be on of lot coverage				
4.2.6.43.4	Minimum interior side yard - interior lot		1.2 m on one side of the lot and 0.6 m on the other side			
4.2.6.43.5		rd - interior lot with a side lot oad on abutting lands zoned Rl				

4.2.6.44	Exception: R5-44	Map # 29	By-law: 0286-2008, 0181-2018/LPAT Order 2019 February 15		
that the followi	In a R5-44 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:				
Regulations					
4.2.6.44.1	The regulations of Subsection 2.1.14 of this By-law shall not apply				
4.2.6.44.2	Maximum lot coverage 45%				
4.2.6.44.3	Minimum setback to garage face 7.0				
4.2.6.44.4	Minimum rear yard	7.0 m			
4.2.6.44.5	Minimum setback to Eglinte	7.5 m			
4.2.6.44.6	Maximum area of a balcony	y on top of an attached garage	e 12 m ²		

4.2.6.45	Exception: R5-45	Map # 15	By-law: 0389-2009, 0188-2010			
	In a R5-45 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.45.1	Minimum lot area - interio	or lot	285 m^2			
4.2.6.45.2	Minimum lot area - corner	385 m^2				
4.2.6.45.3	Maximum lot coverage	49.5%				
4.2.6.45.4	Minimum interior side yar	0.6 m				
4.2.6.45.5	Minimum interior side yar	ne 3.0 m				
4.2.6.45.6	Maximum encroachment of accessible from the first sto dwelling, inclusive of stairs	ey of the				
4.2.6.45.7	Maximum encroachment of	rear yard 2.5 m				
4.2.6.45.8	Minimum number of parki	ng spaces per dwelling uni	it 4.0			

4.2.6.46	Exception: R5-46	Map # 37W	By-law: 0024-2011, 0181-2018/LPAT Order 2019 February 15
	e the permitted uses and appl ng uses /regulations shall app	•	specified for a R5 zone except
Regulations			
4.2.6.46.1	Minimum lot area - interio	r lot	335 m^2
4.2.6.46.2	Minimum lot area - corner	lot	400 m^2
4.2.6.46.3	Minimum lot frontage - int	11.0 m	
4.2.6.46.4	Minimum lot frontage - co	13.0 m	
4.2.6.46.5	Maximum lot coverage		45%
4.2.6.46.6	Minimum setback to garage	e face	7.0 m
4.2.6.46.7	Minimum interior side yar	d - corner lot	0.61 m
4.2.6.46.8	Minimum rear yard		7.0 m
4.2.6.46.9	accessible from the first sto	a porch or a deck, located at orey or below the first storey, into a required front and/or	


4.2.6.47	Exception: R5-47	Map # 06	By-law: OMB Order 2011 September 29			
	In a R5-47 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
4.2.6.47.1	Minimum interior side yar	rd - interior lot	1.2 m on one side of the lot and 0.35 m on the other side			

4.2.6.48	Exception: R5-48	Map # 06	By-law: 0148-2015			
	In a R5-48 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:					
Regulations						
4.2.6.48.1	Minimum lot frontage - int	terior lot	10.5 m			
4.2.6.48.2	Minimum interior side yar lands zoned RM1	d where a lot abuts a side lot	line of 2.0 m			
4.2.6.48.3	Maximum height: flat roof		7.5 m			

4.2.6.49	Exception: R5-49	Map # 20	By-law: LPAT 2019 March 26,			
In a R5-49 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations						
4.2.6.49.1	Minimum interior side yard			1.0 m		
4.2.6.49.2	Minimum rear yard			6.0 m		
4.2.6.49.3	Maximum encroachment of a porch , deck or balcony into a 1.8 m front yard			1.8 m		
4.2.6.49.4	Maximum encroachment of a balcony into a rear yard 1.7			1.7 m		

4.2.6.50	Exception: R5-50	Map # 14	By-law: OLT Order 2023 March 07			
In a R5-50 zone the permitted uses and applicable regulations shall be as specified for a R5 zone except that the following uses /regulations shall apply:						
Regulations						
4.2.6.50.1	Minimum lot area - interio	or lot	229 m^2			
4.2.6.50.2	Minimum lot area - corner	· lot	228 m^2			
4.2.6.50.3	Minimum lot frontage		10.0 m			
4.2.6.50.4	Maximum lot coverage		45%			
4.2.6.50.5	Minimum interior side yar	rd - corner lot	0.65 m			
4.2.6.50.6	Minimum rear yard		6.0 m			
4.2.6.50.7	Maximum height		11.0 m			
4.2.6.50.8	Maximum encroachment of located at and accessible fro first storey of the dwelling	om the first storey or	below the			
4.2.6.50.9	Maximum encroachment of located at and accessible fro first storey of the dwelling	below the				
4.2.6.50.10	All site development plans of this Exception	shall comply with Sch	nedule R5-50			

Revised: 2023 March 31 Page 4.2.6 ~ 20



Schedule R5-50 Map 14

Revised: 2023 March 31 Page 4.2.6 ~ 21

Revised: 2023 March 31 Page 4.2.6 ~ 22