

Part 4 - Residential Zones

4.15.3 RA2 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.15.3.1	Exception: RA2-1	Map # 19, 20	By-law: 0174-2017
In a RA2-1 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.1.1	Minimum floor space index - apartment zone		0.5
4.15.3.1.2	Maximum floor space index - apartment zone		1.2

4.15.3.2	Exception: RA2-2	Map # 17, 18	By-law: 0174-2017
In a RA2-2 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.2.1	Minimum floor space index - apartment zone		0.7
4.15.3.2.2	Maximum floor space index - apartment zone		1.0

4.15.3.3	Exception: RA2-3	Map # 25	By-law: 0174-2017
In a RA2-3 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.3.1	Minimum floor space index - apartment zone		0.8
4.15.3.3.2	Maximum floor space index - apartment zone		1.4

4.15.3.4	Exception: RA2-4	Map # 16, 20, 22, 23, 25, 30, 38E, 48E	By-law: 0174-2017
In a RA2-4 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.4.1	Minimum floor space index - apartment zone		1.0
4.15.3.4.2	Maximum floor space index - apartment zone		1.5

4.15.3.5	Exception: RA2-5	Map # 14, 15, 21	By-law: 0174-2017
In a RA2-5 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.5.1	Minimum floor space index - apartment zone		0.5
4.15.3.5.2	Maximum floor space index - apartment zone		1.5

Part 4 - Residential Zones

4.15.3.6	Exception: RA2-6	Map # 06, 07, 08	By-law: 0174-2017, 0111-2019/LPAT Order 2021 March 09
In a RA2-6 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.6.1	Minimum floor space index - apartment zone		1.0
4.15.3.6.2	Maximum floor space index - apartment zone		1.8

4.15.3.7	Exception: RA2-7	Map #	By-law: 0174-2017
In a RA2-7 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.7.1	Minimum floor space index - apartment zone		1.0
4.15.3.7.2	Maximum floor space index - apartment zone		2.1

4.15.3.8	Exception: RA2-8	Map # 14, 15	By-law: 0174-2017
In a RA2-8 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.8.1	Minimum floor space index - apartment zone		1.5
4.15.3.8.2	Maximum floor space index - apartment zone		2.0

4.15.3.9	Exception: RA2-9	Map #	By-law: 0174-2017
In a RA2-9 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.9.1	Minimum floor space index - apartment zone		1.5
4.15.3.9.2	Maximum floor space index - apartment zone		2.9


4.15.3.10	Exception: RA2-10	Map #	By-law: 0174-2017
In a RA2-10 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.10.1	Minimum floor space index - apartment zone		1.9
4.15.3.10.2	Maximum floor space index - apartment zone		2.9

Part 4 - Residential Zones

4.15.3.11	Exception: RA2-11	Map # 27	By-law: 0174-2017, 0208-2022
In a RA2-11 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Uses			
4.15.3.11.1	(1)	Place of Religious Assembly	
	(2)	Day Care	
Regulations			
4.15.3.11.2	An apartment shall only be permitted in Buildable Area 'A' identified on Schedule RA2-11 of this Exception		
4.15.3.11.3	Maximum number of apartment dwelling units in Buildable Area 'A' identified on Schedule RA2-11 of this Exception		68
4.15.3.11.4	A place of religious assembly and day care shall only be permitted in Buildable Area 'B' identified on Schedule RA2-11 of this Exception		
4.15.3.11.5	Maximum total gross floor area - non-residential in Buildable Area 'B' identified on Schedule RA2-11 of this Exception		2 300 m ²
4.15.3.11.6	All site development plans shall comply with Schedule RA2-11 of this Exception		

Part 4 - Residential Zones

4.15.3.12	Exception: RA2-12	Map # 27	By-law:
In a RA2-12 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.12.1	Maximum number of dwelling units	120	
4.15.3.12.2	Minimum setback from all structures completely below finished grade to a lot line	1.0 m	
4.15.3.12.3	All site development plans shall comply with Schedule RA2-12 of this Exception		




Schedule RA2-12
Map 27

Part 4 - Residential Zones

4.15.3.13	Exception: RA2-13	Map # 38W	By-law: 0174-2017
In a RA2-13 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.13.1	Minimum floor space index - apartment zone		1.0
4.15.3.13.2	Maximum floor space index - apartment zone		1.8
4.15.3.13.3	Maximum height		7 storeys

4.15.3.14	Exception: RA2-14	Map # 36W	By-law: 0174-2017, 0208-2022
In a RA2-14 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.14.1	The regulations of Lines 4.0 and 5.0 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.14.2	An apartment shall only be permitted in Buildable Areas 'A', 'B' and 'C' identified on Schedule RA2-14 of this Exception		
4.15.3.14.3	Maximum total number of apartment dwelling units in Buildable Areas 'A', 'B' and 'C' identified on Schedule RA2-14 of this Exception		133
4.15.3.14.4	A retirement building shall only be permitted in Buildable Area 'D' identified on Schedule RA2-14 of this Exception		
4.15.3.14.5	Maximum number of retirement dwelling units in Buildable Area 'D' identified on Schedule RA2-14 of this Exception		30
4.15.3.14.6	A long-term care building shall only be permitted in Buildable Area 'E' identified on Schedule RA2-14 of this Exception		
4.15.3.14.7	Maximum gross floor area - apartment zone of a long-term care building in Buildable Area 'E' identified on Schedule RA2-14 of this Exception		9 600 m ²
4.15.3.14.8	Balconies and awnings may project outside Buildable Area 'E' identified on Schedule RA2-14 of this Exception		
4.15.3.14.9	Minimum number of visitor parking spaces		75
4.15.3.14.10	Minimum number of staff/resident parking spaces		197
4.15.3.14.11	All site development plans shall comply with Schedule RA2-14 of this Exception		



Schedule RA2-14
Map 36W

Part 4 - Residential Zones


4.15.3.15	Exception: RA2-15	Map # 06	By-law: <i>deleted by 0179-2017, 0111-2019/LPAT Order 2021 March 09</i>
In a RA2-15 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Use			
4.15.3.15.1	(1)	Townhouse	
Regulations			
4.15.3.15.2	Maximum number of apartment dwelling units		119
4.15.3.15.3	Minimum front yard		6.0 m
4.15.3.15.4	Minimum exterior side yard		6.0 m
4.15.3.15.5	Minimum interior side yard		3.0 m
4.15.3.15.6	Minimum rear yard		7.5 m
4.15.3.15.7	Maximum height		7 storeys
4.15.3.15.8	Minimum number of parking spaces per apartment dwelling unit		1.40
4.15.3.15.9	A townhouse shall comply with the RM4 zone regulations contained in Subsection 4.10.1 of this By-law except that:		
	(1)	maximum number of townhouse dwelling units	10
	(2)	minimum exterior side yard	6.0 m
	(3)	maximum height	2 storeys
	(4)	minimum number of parking spaces per townhouse dwelling unit	1.40

4.15.3.16	Exception: RA2-16	Map # 30	By-law: 0174-2017
In a RA2-16 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.16.1	Maximum number of dwelling units		189
4.15.3.16.2	Minimum floor space index - apartment zone		1.0
4.15.3.16.3	Maximum floor space index - apartment zone		2.1
4.15.3.16.4	Maximum height		9 storeys
4.15.3.16.5	Maximum percentage of required resident parking spaces that may be tandem		20%
4.15.3.16.6	Minimum setback of a parking structure completely below finished grade to a street line		3.0 m
4.15.3.16.7	Minimum setback of a parking structure completely below finished grade to a lot line that is not a street line		0.5 m

Part 4 - Residential Zones

4.15.3.17	Exception: RA2-17	Map # 38W	By-law: 0174-2017
In a RA2-17 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.17.1	Minimum floor space index - apartment zone		1.0
4.15.3.17.2	Maximum floor space index - apartment zone		1.8
4.15.3.17.3	Maximum height		6 storeys

4.15.3.18	Exception: RA2-18	Map # 19	By-law: 0174-2017, 0208-2022, 0048-2025
In a RA2-18 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.18.1	The regulations of Line 3.0 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.18.2	Minimum floor space index - apartment zone		0.5
4.15.3.18.3	Maximum floor space index - apartment zone		1.2
4.15.3.18.4	Maximum projection of a balcony , window with or without a foundation or awning outside the buildable area identified on Schedule RA2-18 of this Exception		4.5 m
4.15.3.18.5	Access shall be permitted from lands zoned C3-23		
4.15.3.18.6	Access shall be permitted to lands zoned RS-50		
4.15.3.18.7	All site development plans shall comply with Schedule RA2-18 of this Exception		



Schedule RA2-18
Map 19

Part 4 - Residential Zones

4.15.3.19	Exception: RA2-19	Map # 22	By-law: 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0208-2022
In a RA2-19 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Uses			
4.15.3.19.1	(1) Townhouse (2) Street Townhouse (3) Back to Back and Stacked Townhouses		
Regulations			
4.15.3.19.2	Minimum number of dwelling units per hectare		100
4.15.3.19.3	Maximum number of dwelling units per hectare		148
4.15.3.19.4	Minimum floor space index - apartment zone		1.0
4.15.3.19.5	Maximum floor space index - apartment zone		1.5
4.15.3.19.6	A townhouse shall comply with the RM4 zone regulations contained in Subsection 4.10.1 of this By-law		
4.15.3.19.7	A street townhouse shall comply with the RM5 zone regulations contained in Subsection 4.11.1 of this By-law		
4.15.3.19.8	A back to back and stacked townhouse shall comply with the RM8-14 zone regulations contained in Exception Table 4.13A.2.14 of this By-law		
4.15.3.19.9	A structure completely below finished grade may project outside the buildable area identified on Schedule RA2-19 of this Exception		
4.15.3.19.10	All site development plans shall comply with Schedule RA2-19 of this Exception		

Part 4 - Residential Zones

4.15.3.20	Exception: RA2-20	Map # 37E	By-law: 0174-2017
In a RA2-20 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.20.1	Maximum number of dwelling units per hectare		197
4.15.3.20.2	Minimum floor space index - apartment zone		1.0
4.15.3.20.3	Maximum floor space index - apartment zone		1.8
4.15.3.20.4	Maximum percentage of required resident parking spaces that may be tandem		10%

4.15.3.21	Exception: RA2-21	Map # 32	By-law: 0174-2017, 0208-2022
In a RA2-21 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.21.1	Maximum number of apartment dwelling units		67
4.15.3.21.2	Maximum number of retirement dwelling units		133
4.15.3.21.3	Maximum lot coverage		40%
4.15.3.21.4	Minimum floor space index - apartment zone		1.0
4.15.3.21.5	Maximum floor space index - apartment zone		2.5
4.15.3.21.6	Maximum projection of a balcony , window with or without a foundation or awning outside the buildable area identified on Schedule RA2-21 of this Exception		2.0 m
4.15.3.21.7	Minimum number of resident parking spaces per apartment dwelling unit		1.00
4.15.3.21.8	Minimum number of resident parking spaces per retirement dwelling unit		0.15
4.15.3.21.9	Minimum number of visitor parking spaces per retirement dwelling unit		0.26
4.15.3.21.10	Minimum aisle width within a parking structure		6.0 m
4.15.3.21.11	All site development plans shall comply with Schedule RA2-21 of this Exception		

Part 4 - Residential Zones

4.15.3.22	Exception: RA2-22	Map # 32	By-law: 0174-2017
In a RA2-22 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.22.1	Maximum number of dwelling units		90
4.15.3.22.2	Minimum depth of a landscaped buffer abutting the front lot line		7.5 m
4.15.3.22.3	Minimum floor space index - apartment zone		1.5
4.15.3.22.4	Maximum floor space index - apartment zone		2.1
4.15.3.22.5	Minimum front yard		7.5 m
4.15.3.22.6	Minimum interior side yard		9.0 m
4.15.3.22.7	Minimum rear yard		9.0 m
4.15.3.22.8	Minimum setback from all structures below established grade to the front lot line		7.5 m
4.15.3.22.9	Minimum setback from all structures below established grade to the interior side lot line		2.0 m
4.15.3.22.10	Minimum setback from all structures below established grade to the rear lot line		5.0 m
4.15.3.22.11	Maximum height		6 storeys
4.15.3.22.12	Maximum encroachment of a balcony into required side and rear yards		2.5 m
4.15.3.22.13	Maximum encroachment of architectural elements such as, but not limited to, cornices and corbels into a required yard		0.6 m

4.15.3.23	Exception: RA2-23	Map # 37E	By-law: 0174-2017
In a RA2-23 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.23.1	Maximum number of dwelling units		57
4.15.3.23.2	Minimum floor space index - apartment zone		1.0
4.15.3.23.3	Maximum floor space index - apartment zone		1.8
4.15.3.23.4	Maximum height		6 storeys
4.15.3.23.5	All site development plans shall comply with Schedule RA2-23 of this Exception		


Part 4 - Residential Zones

4.15.3.24	Exception: RA2-24	Map # 57	By-law: 0174-2017, 0208-2022, <i>deleted by 0224-2022, 0159-2023</i>
<p>In a RA2-24 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Regulations			
4.15.3.24.1	The provisions contained in Subsections 2.1.14 and 4.1.8 of this By-law shall not apply		
4.15.3.24.2	Maximum floor space index - apartment zone		2.2
4.15.3.24.3	Maximum height		20.0 m and 6 storeys
4.15.3.24.4	Notwithstanding Sentence 4.15.3.24.22 of this Exception, minimum front yard for that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m		7.8 m
4.15.3.24.5	Notwithstanding Sentence 4.15.3.24.22 of this Exception, minimum interior side yard for that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m abutting a Residential Zone		19.5 m
4.15.3.24.6	Notwithstanding Sentence 4.15.3.24.22 of this Exception, minimum interior side yard for that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m abutting lands with a Greenlands Zone		6.7 m
4.15.3.24.7	Notwithstanding Sentence 4.15.3.24.22 of this Exception, maximum projection of a porch, balcony located on the first storey , staircase or landing, measured from the outermost face or faces of the building from which the porch, balcony, staircase or landing projects		3.2 m
4.15.3.24.8	Notwithstanding Sentence 4.15.3.24.22 of this Exception, maximum projection of a balcony located on the second, third, fourth, and sixth storey measured from the outermost face or faces of the building from which the balcony projects		1.8 m
4.15.3.24.9	Notwithstanding Sentence 4.15.3.24.22 of this Exception, maximum projection of a balcony located on the fifth storey measured from the outermost face or faces of the building from which the balcony projects, and abutting a front lot line		4.6 m
4.15.3.24.10	Notwithstanding Sentence 4.15.3.24.22 of this Exception, maximum projection of a balcony located on the fifth storey measured from the outermost face or faces of the building from which the balcony projects, and abutting a southerly interior side lot line		5.8 m
4.15.3.24.11	Minimum setback from surface parking spaces or aisles to the front lot line		7.5 m
4.15.3.24.12	Minimum setback from surface parking spaces or aisles to the rear lot line		3.0 m
4.15.3.24.13	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to a Greenlands Zone		2.0 m
4.15.3.24.14	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to the front lot line		1.1 m
4.15.3.24.15	Minimum aisle width		6.0 m
4.15.3.24.16	Minimum landscaped area		30% of the lot area
4.15.3.24.17	Minimum depth of a landscaped buffer abutting a lot line that is a street line		3.0 m

Exception RA2-24 continued on next page

Part 4 - Residential Zones


4.15.3.24	Exception: RA2-24	Map # 57	By-law: 0174-2017, 0208-2022, <i>deleted by 0224-2022, 0159-2023</i>
Exception RA2-24 continued from previous page			
4.15.3.24.18	Minimum depth of a landscaped buffer abutting lands with a Greenlands Zone		2.0 m
4.15.3.24.19	Minimum depth of a landscaped buffer abutting a RM5-58 zone		4.0 m
4.15.3.24.20	Maximum parallel length of a driveway and walkway permitted in the required landscaped buffer abutting the rear lot line		30.0 m
4.15.3.24.21	Minimum percentage of total required amenity area to be provided in one contiguous area		38%
4.15.3.24.22	All site development plans shall comply with Schedule RA2-24 of this Exception		
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-24 by further amendment to Map 57 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirement:</p> <p>(1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga.</p>			



Schedule RA2-24
Map 57

Part 4 - Residential Zones

4.15.3.25	Exception: RA2-25	Map # 39E	By-law: 0308-2011, 0265-2016, 0174-2017, 0208-2022
In a RA2-25 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.25.1	Maximum number of dwelling units		220
4.15.3.25.2	Minimum floor space index - apartment zone		1.0
4.15.3.25.3	Maximum floor space index - apartment zone		1.8
4.15.3.25.4	Maximum height		21.0 m and 6 storeys
4.15.3.25.5	Minimum number of resident parking spaces per one-bedroom dwelling unit		1.0
4.15.3.25.6	Minimum number of resident parking spaces per two bedroom dwelling unit		1.16
4.15.3.25.7	Minimum number of visitor parking spaces per dwelling unit		0.20
4.15.3.25.8	Maximum projection of an on grade patio outside the buildable area identified on Schedule RA2-25 of this Exception		2.0 m
4.15.3.25.9	All site development plans shall comply with Schedule RA2-25 of this Exception		



Schedule RA2-25
Map 39E

Part 4 - Residential Zones

4.15.3.26	Exception: RA2-26	Map # 39E	By-law: 0325-2008, 0174-2017
In a RA2-26 zone the applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Permitted Use			
4.15.3.26.1	Lands zoned RA2-26 shall only be used for the following:		
	(1) Sky-Light Apartment Dwelling		
Regulations			
4.15.3.26.2	Maximum number of sky-light apartment dwelling units		78
4.15.3.26.3	Minimum floor space index - apartment zone		1.0
4.15.3.26.4	Maximum floor space index - apartment zone		1.8
4.15.3.26.5	Maximum height: measured from established grade to midpoint of the roof		11.0 m
4.15.3.26.6	Minimum number of resident parking spaces per dwelling unit		1.75
4.15.3.26.7	Minimum number of visitor parking spaces per dwelling unit		0.20
4.15.3.26.8	"Sky-Light Apartment Dwelling" means a building or structure where each dwelling unit has an independent entrance at the ground level only through a common entrance at the ground level or at the first storey above ground		
4.15.3.26.9	All site development plans shall comply with Schedule RA2-26 of this Exception		

Part 4 - Residential Zones

4.15.3.27	Exception: RA2-27	Map # 39W	By-law: 0174-2017
In a RA2-27 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.27.1	Maximum number of apartment dwelling units		100
4.15.3.27.2	Maximum number of retirement dwelling units		136
4.15.3.27.3	Maximum number of beds in a long-term care building		120
4.15.3.27.4	Minimum floor space index - apartment zone		1.0
4.15.3.27.5	Maximum floor space index - apartment zone		2.5
4.15.3.27.6	Maximum total gross floor area - apartment zone		49 250 m ²
4.15.3.27.7	Minimum gross floor area - apartment zone of an apartment		6 500 m ²
4.15.3.27.8	Minimum gross floor area - apartment zone of a retirement building		6 700 m ²
4.15.3.27.9	Minimum gross floor area - apartment zone of a long-term care building		6 500 m ²
4.15.3.27.10	The lot line abutting Winston Churchill Boulevard shall be deemed to be the front lot line		
4.15.3.27.11	Minimum front yard		7.5 m
4.15.3.27.12	Minimum exterior side yard		6.0 m
4.15.3.27.13	Minimum interior side yard		6.0 m
4.15.3.27.14	Minimum rear yard		6.0 m
4.15.3.27.15	Maximum height		7 storeys
4.15.3.27.16	Minimum number of resident parking spaces per apartment dwelling unit		1.0
4.15.3.27.17	Minimum number of resident parking spaces per retirement dwelling unit		0.15
4.15.3.27.18	Minimum number of visitor parking spaces per retirement dwelling unit		0.18

Part 4 - Residential Zones

4.15.3.28	Exception: RA2-28	Map # 57	By-law: 0113-2015, 0123-2016
<p>In a RA2-28 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Regulations			
4.15.3.28.1	The regulations of Lines 4.0 and 5.0 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.28.2	Minimum number of dwelling units per hectare		45
4.15.3.28.3	Maximum number of dwelling units per hectare		138
4.15.3.28.4	Minimum front yard		7.5 m
4.15.3.28.5	Minimum exterior side yard		7.5 m
4.15.3.28.6	Minimum interior side yard		7.5 m
4.15.3.28.7	Minimum rear yard		7.5 m
4.15.3.28.8	Maximum height		5 storeys
4.15.3.28.9	Minimum setback from all structures completely below finished grade to a lot line		0.3 m
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-28 by further amendment to Map 57 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p>			
<p>(1) confirmation in writing by the City of Mississauga, that the lands are not required for an essential emergency service.</p>			

4.15.3.29	Exception: RA2-29	Map # 58	By-law: 0048-2025
<p>In a RA2-29 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Regulations			
4.15.3.29.1	The regulations of Lines 4.0 and 5.0 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.29.2	Minimum number of dwelling units per hectare		45
4.15.3.29.3	Maximum number of dwelling units per hectare		138
4.15.3.29.4	Minimum front yard		4.5 m
4.15.3.29.5	Minimum exterior side yard		7.5 m
4.15.3.29.6	Minimum interior side yard		7.5 m
4.15.3.29.7	Minimum rear yard		7.5 m
4.15.3.29.8	Maximum height of all buildings and structures , or portions thereof, within 30.0 m of lands zoned RL-203 and RS-211		5 storeys
4.15.3.29.9	Minimum setback from a parking structure completely below finished grade to a lot line		0.0 m
4.15.3.29.10	Minimum number of resident parking spaces per dwelling unit		1.1
4.15.3.29.11	Minimum number of visitor parking spaces per dwelling unit		0.2

Part 4 - Residential Zones

4.15.3.30	Exception: RA2-30	Map # 39E	By-law:
In a RA2-30 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.30.1	Maximum number of dwelling units		60
4.15.3.30.2	Maximum height		6 storeys
4.15.3.30.3	Minimum number of parking spaces per dwelling unit		0.25

4.15.3.31	Exception: RA2-31	Map # 08	By-law: 0174-2017
In a RA2-31 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.31.1	Maximum number of dwelling units		37
4.15.3.31.2	Minimum floor space index - apartment zone		0.7
4.15.3.31.3	Maximum floor space index - apartment zone		1.0
4.15.3.31.4	Maximum height		5 storeys

4.15.3.32	Exception: RA2-32	Map # 08	By-law: 0174-2017
In a RA2-32 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.32.1	Maximum number of dwelling units		23
4.15.3.32.2	Minimum floor space index - apartment zone		0.7
4.15.3.32.3	Maximum floor space index - apartment zone		1.0
4.15.3.32.4	Maximum height		6 storeys


Part 4 - Residential Zones

4.15.3.33	Exception: RA2-33	Map # 08	By-law: 0308-2011, 0174-2017, 0061-2020, 0208-2022
In a RA2-33 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Uses - Buildable Area 'B'			
4.15.3.33.1	(1) Retail Store (2) Art Gallery (3) Ice Cream Parlour (4) Take-out Restaurant (5) Sporting Goods Rental Establishment		
Regulations			
4.15.3.33.2	The provisions contained in Article 4.1.15.1 of this By-law shall not apply		
4.15.3.33.3	Maximum number of apartment dwelling units in Buildable Area 'A' identified on Schedule RA2-33 of this Exception		35
4.15.3.33.4	Maximum number of apartment dwelling units in Buildable Area 'B' identified on Schedule RA2-33 of this Exception		75
4.15.3.33.5	Minimum landscaped area		35% of the lot area
4.15.3.33.6	Minimum floor space index - apartment zone		1.9
4.15.3.33.7	Maximum floor space index - apartment zone		2.8
4.15.3.33.8	Maximum gross floor area - apartment zone permitted in Buildable Area 'A' identified on Schedule RA2-33 of this Exception		6 400 m ²
4.15.3.33.9	Maximum gross floor area - apartment zone permitted in Buildable Area 'B' identified on Schedule RA2-33 of this Exception		15 290 m ²
4.15.3.33.10	The uses contained in Sentence 4.15.3.33.1 of this Exception shall only be permitted on the first storey of an apartment in Buildable Area 'B' identified on Schedule RA2-33 of this Exception		
4.15.3.33.11	Minimum gross floor area - non-residential		200 m ²
4.15.3.33.12	Maximum gross floor area - non-residential		460 m ²
4.15.3.33.13	The uses contained in Sentence 4.15.3.33.1 of this Exception shall have pedestrian access to abutting lands zoned OS2 and to Port Street East		

Exception RA2-33 continued on next page

Part 4 - Residential Zones

4.15.3.33	Exception: RA2-33	Map # 08	By-law: 0308-2011, 0174-2017, 0061-2020, 0208-2022
Exception RA2-33 continued from previous page			
4.15.3.33.14	Maximum height above established grade where the distance from the rear lot line is 3.5 m to 7.5 m		13.0 m and 3 storeys
4.15.3.33.15	Maximum height above established grade where the distance from the rear lot line is 7.5 m to 11.5 m		16.0 m and 4 storeys
4.15.3.33.16	Maximum height above established grade where the distance from the rear lot line is 11.5 m to 15.5 m		19.0 m and 5 storeys
4.15.3.33.17	Maximum height above established grade where the distance from the rear lot line is 15.5 m or greater		22.0 m and 6 storeys
4.15.3.33.18	The maximum height of the finished floor level at the main front entrance shall be 0.5 m above the proposed or finished first storey level measured at the lot line abutting the street line for the length of the building or structure		
4.15.3.33.19	Required parking spaces for uses contained in Sentence 4.15.3.33.1 of this Exception may be located on lands zoned C4-3		
4.15.3.33.20	A parking structure or part thereof shall be located wholly below the ground level measured at the centreline of Port Street East		
4.15.3.33.21	Maximum height above grade of a parking structure or part thereof adjacent to lands zoned OS2		1.5 m
4.15.3.33.22	"Established Grade" means the average level of proposed or finished ground adjoining a building at the exterior wall containing the main front entrance		
4.15.3.33.23	All site development plans shall comply with Schedule RA2-33 of this Exception		



Schedule RA2-33
Map 08

Part 4 - Residential Zones

4.15.3.34	Exception: RA2-34	Map # 10	By-law: OMB Order 2008 April 24, 0174-2017
In a RA2-34 zone the applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Permitted Use			
4.15.3.34.1	Lands zoned RA2-34 shall only be used for the following:		
	(1) Retirement Building		
Regulations			
4.15.3.34.2	The provisions contained in Subsection 2.1.14 and Article 3.1.4.4 of this By-law shall not apply		
4.15.3.34.3	Maximum number of retirement dwelling units		144
4.15.3.34.4	Minimum lot frontage		85.0 m
4.15.3.34.5	Minimum floor space index - apartment zone		1.0
4.15.3.34.6	Maximum floor space index - apartment zone		1.7
4.15.3.34.7	Minimum landscaped area		50% of the lot area
4.15.3.34.8	The northerly lot line abutting Walden Circle shall be deemed to be front lot line		
4.15.3.34.9	Minimum front yard		12.0 m
4.15.3.34.10	Minimum exterior side yard		7.5 m
4.15.3.34.11	Minimum interior side yard		16.4 m
4.15.3.34.12	Minimum setback of a retirement building to a railway right-of-way where a safety berm is provided		16.4 m
4.15.3.34.13	Minimum setback of an underground parking structure to the interior side lot line		12.0 m
4.15.3.34.14	Minimum setback of a ramp leading to the underground parking structure to the interior side lot line		5.75 m
4.15.3.34.15	Minimum rear yard		3.0 m
4.15.3.34.16	Minimum setback of a parking structure to the rear lot line		3.0 m
4.15.3.34.17	Maximum rear yard for a minimum length of 40.0 m of the exterior wall of the ground floor fronting onto Lakeshore Road West		4.0 m
4.15.3.34.18	Maximum height		8 storeys
4.15.3.34.19	Minimum depth of a landscaped buffer abutting Lakeshore Road West		3.0 m
4.15.3.34.20	The landscaped buffer abutting the easterly lot line may contain a safety berm and a walkway		

Part 4 - Residential Zones

4.15.3.35	Exception: RA2-35	Map # 08	By-law: 0174-2017
In a RA2-35 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.35.1	Minimum floor space index - apartment zone		1.0
4.15.3.35.2	Maximum floor space index - apartment zone		2.5

4.15.3.36	Exception: RA2-36	Map # 15	By-law: 0174-2017
In a RA2-36 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.36.1	Maximum number of dwelling units		80
4.15.3.36.2	Minimum floor space index - apartment zone		1.5
4.15.3.36.3	Maximum floor space index - apartment zone		2.9
4.15.3.36.4	Minimum number of resident parking spaces per one-bedroom apartment dwelling unit		0.57
4.15.3.36.5	Minimum number of resident parking spaces per two-bedroom apartment dwelling unit		0.68
4.15.3.36.6	Minimum number of resident parking spaces per three-bedroom apartment dwelling unit		0.77
4.15.3.36.7	Minimum number of visitor parking spaces per apartment dwelling unit		0.20
4.15.3.36.8	Minimum number of resident parking spaces per one-bedroom retirement dwelling unit		0.40
4.15.3.36.9	Minimum number of resident parking spaces per two-bedroom retirement dwelling unit		0.90
4.15.3.36.10	Minimum number of visitor parking spaces per retirement dwelling unit		0.10

4.15.3.37	Exception: RA2-37	Map # 15	By-law: 0174-2017
In a RA2-37 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.37.1	Minimum floor space index - apartment zone		0.5
4.15.3.37.2	Maximum floor space index - apartment zone		1.5
4.15.3.37.3	Minimum setback to all lands zoned U		18.9 m

4.15.3.38	Exception: RA2-38	Map # 14	By-law:
In a RA2-38 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulation			
4.15.3.38.1	The provisions contained in Subsection 2.1.24 of this By-law shall apply		

Part 4 - Residential Zones

4.15.3.39	Exception: RA2-39	Map # 57	By-law: 0181-2018/LPAT Order 2019 February 15
In a RA2-39 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Use			
4.15.3.39.1	(1)	Back to Back and Stacked Townhouses	
Regulations			
4.15.3.39.2	All dwellings shall comply with the RA2 zone regulations contained in Subsection 4.15.1 of this By-law except that:		
	(1)	the regulations of Lines 4.0 and 5.0 contained in Table 4.15.1 of this By-law shall not apply	
	(2)	minimum number of dwelling units per hectare	45
	(3)	maximum number of dwelling units per hectare	138
	(4)	the lot line abutting Eglinton Avenue West shall be deemed to be the front lot line	
	(5)	minimum front, exterior, interior and rear yards	7.5 m
	(6)	maximum setback to Eglinton Avenue West and Ninth Line	16.0 m
	(7)	minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to a lot line	0.0 m

4.15.3.40	Exception: RA2-40	Map # 19, 20, 23, 48E	By-law: 0174-2017
In a RA2-40 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.40.1	Minimum floor space index - apartment zone		0.5
4.15.3.40.2	Maximum floor space index - apartment zone		0.8

4.15.3.41	Exception: RA2-41	Map # 18	By-law: 0174-2017
In a RA2-41 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.41.1	Minimum floor space index - apartment zone		0.3
4.15.3.41.2	Maximum floor space index - apartment zone		0.5

Part 4 - Residential Zones

4.15.3.42	Exception: RA2-42	Map # 11	By-law: 0174-2017
In a RA2-42 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.42.1	Minimum floor space index - apartment zone		1.0
4.15.3.42.2	Maximum floor space index - apartment zone		1.5
4.15.3.42.3	Maximum height		6 storeys


4.15.3.43	Exception: RA2-43	Map # 25	By-law: 0174-2017, 0181-2018/LPAT Order 2019 February 15
In a RA2-43 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Use			
4.15.3.43.1	(1) Townhouse		
Regulations			
4.15.3.43.2	Maximum number of townhouse dwelling units		4
4.15.3.43.3	Minimum floor space index - apartment zone		0.8
4.15.3.43.4	Maximum floor space index - apartment zone		1.4

4.15.3.44	Exception: RA2-44	Map # 37E	By-law:
In a RA2-44 zone the applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Permitted Uses			
4.15.3.44.1	Lands zoned RA2-44 shall only be used for the following:		
	(1) Place of Religious Assembly		
	(2) Day Care		
Regulations			
4.15.3.44.2	A place of religious assembly shall comply with the provisions contained in Article 2.1.9.3 of this By-law		
4.15.3.44.3	A day care shall comply with the provisions contained in Article 2.1.9.4 of this By-law		

4.15.3.45	Exception: RA2-45	Map # 37E	By-law: 0174-2017, 0048-2025
In a RA2-45 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Use			
4.15.3.45.1	(1) Parking for the school on abutting lands zoned RS-21		
Regulations			
4.15.3.45.2	Minimum number of dwelling units per hectare		57
4.15.3.45.3	Maximum number of dwelling units per hectare		114
4.15.3.45.4	Minimum floor space index - apartment zone		0.5
4.15.3.45.5	Maximum floor space index - apartment zone		1.0

Part 4 - Residential Zones

4.15.3.46	Exception: RA2-46	Map # 10	By-law: 0325-2008, 0227-2014, 0119-2016, 0174-2017, 0085-2018, 0111-2019/LPAT Order 2021 March 09, 0208-2022
In a RA2-46 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Uses			
4.15.3.46.1	(1) Retail Store (2) Service Establishment (3) Office (4) Medical Office (5) <i>deleted</i> (6) Financial Institution (7) Commercial School		
Regulations			
4.15.3.46.2	The provisions contained in Subsection 2.1.14 and the regulations of Lines 13.3, 13.5 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.46.3	Maximum number of dwelling units		300
4.15.3.46.4	Maximum floor space index - apartment zone		1.8
4.15.3.46.5	Maximum gross floor area - apartment zone		27 960 m ²
4.15.3.46.6	Maximum gross floor area - non-residential		360 m ²
4.15.3.46.7	Maximum height		20.0 m and 6 storeys
4.15.3.46.8	A parking structure completely below finished grade may project outside the buildable area identified on Schedule RA2-46 of this Exception		
4.15.3.46.9	Minimum number of parking spaces per one-bedroom apartment dwelling unit		1.1
4.15.3.46.10	Minimum number of parking spaces per two-bedroom apartment dwelling unit		1.3
4.15.3.46.11	Maximum projection of a balcony or porch outside the buildable area identified on Schedule RA2-46 of this Exception		1.8 m
4.15.3.46.12	Retail store, service establishment, office, medical office, financial institution and commercial school shall only be located within the first storey		
4.15.3.46.13	Driveways, parking areas and aisles may be shared with abutting lands zoned C4-45		
4.15.3.46.14	Minimum number of shared visitor/commercial parking spaces with lands zoned C4-45		94
4.15.3.46.15	Minimum depth of a landscaped buffer along Lakeshore Road West		0.0 m
4.15.3.46.16	For the purpose of this Exception, a 5.0 m buffer is a natural protection area		
4.15.3.46.17	For the purpose of this Exception, a commercial school shall include a music school, a dance school, a martial arts school and tutoring		
4.15.3.46.18	All site development plans shall comply with Schedule RA2-46 of this Exception		



Schedule RA2-46
Map 10

Part 4 - Residential Zones

4.15.3.47	Exception: RA2-47	Map # 47, 48E	By-law: 0174-2017
<p>In a RA2-47 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Regulations			
4.15.3.47.1	The provisions contained in Subsection 2.1.14 and the regulations of Lines 4.0 and 5.0 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.47.2	Maximum gross floor area - apartment zone	1.6 times the lot area	
4.15.3.47.3	Minimum landscaped area	42% of the lot area	
4.15.3.47.4	Minimum front yard	7.5 m	
4.15.3.47.5	Minimum interior side yard	5.5 m	
4.15.3.47.6	Minimum rear yard	8.0 m	
4.15.3.47.7	Minimum setback to all lands zoned G2-1	3.0 m	
4.15.3.47.8	Maximum height	7 storeys	
4.15.3.47.9	Maximum projection of an entrance vestibule into the required front yard	3.5 m	
4.15.3.47.10	Maximum projection of a balcony into a required yard	1.5 m	


4.15.3.48	Exception: RA2-48	Map # 08	By-law: 0174-2017, 0174-2018, 0054-2020, 0048-2025
<p>In a RA2-48 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Additional Permitted Uses			
4.15.3.48.1	<ol style="list-style-type: none"> (1) Detached dwelling legally existing on the date of passing of this By-law (2) Duplex legally existing on the date of passing of this By-law (3) Triplex legally existing on the date of passing of this By-law (4) Accessory buildings and structures 		
Regulations			
4.15.3.48.2	<p>The enlargement of an existing dwelling, existing accessory buildings and structures and new accessory buildings and structures shall be permitted in compliance with the following:</p> <ol style="list-style-type: none"> (1) a detached dwelling shall comply with the RS zone regulations contained in Subsection 4.2.1 of this By-law (2) a duplex and triplex shall comply with the RM7 zone regulations contained in Subsection 4.13.1 of this By-law (3) accessory buildings and structures on all lots zoned RA2-48 shall comply with the regulations contained in Subsection 4.1.2 of this By-law 		
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-48 by further amendment to Map 08 of Schedule B contained in Part 13 of this By-law, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) that notice of Council's intention to pass a by-law to remove the holding symbol from the subject lands is provided in accordance with the provisions of section 36 of the <i>Planning Act</i>, as amended. 			

Part 4 - Residential Zones

4.15.3.49	Exception: RA2-49	Map # 39E	By-law: 0174-2017
In a RA2-49 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.49.1	Maximum number of dwelling units		103
4.15.3.49.2	Minimum floor space index - apartment zone		1.00
4.15.3.49.3	Maximum floor space index - apartment zone		3.13
4.15.3.49.4	Maximum gross floor area - apartment zone		7 400 m ²
4.15.3.49.5	Maximum height		7 storeys
4.15.3.49.6	Shared driveways and aisles are permitted with the abutting lands zoned C4, provided that the minimum on site width of the shared driveway and aisle is 3.5 m		
4.15.3.49.7	Minimum number of parking spaces per retirement dwelling unit		0.45

4.15.3.50	Exception: RA2-50	Map # 38W	By-law: 0174-2017
In a RA2-50 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.50.1	Minimum floor space index - apartment zone		1.0
4.15.3.50.2	Maximum floor space index - apartment zone		1.8
4.15.3.50.3	Maximum height		6 storeys

4.15.3.51	Exception: RA2-51	Map # 39E	By-law: 0174-2017
In a RA2-51 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.51.1	Maximum number of dwelling units		46
4.15.3.51.2	Minimum floor space index - apartment zone		1.0
4.15.3.51.3	Maximum floor space index - apartment zone		1.7
4.15.3.51.4	Minimum landscaped area		34% of the lot area
4.15.3.51.5	Maximum height		6 storeys
4.15.3.51.6	Maximum number of tandem parking spaces		5
4.15.3.51.7	All site development plans shall comply with Schedule RA2-51 of this Exception		



Schedule RA2-51
 Map 39E

Part 4 - Residential Zones

4.15.3.52	Exception: RA2-52	Map # 20	By-law: 0174-2017
<p>In a RA2-52 zone the permitted uses and applicable regulations shall be as specified for a RA1 zone except that the following uses/regulations shall apply:</p>			
Regulations			
4.15.3.52.1	Minimum lot area		2 800 m ²
4.15.3.52.2	Minimum floor space index - apartment zone		0.5
4.15.3.52.3	Maximum floor space index - apartment zone		1.0
4.15.3.52.4	Maximum height		4 storeys
4.15.3.52.5	Maximum height: lot with a lot area equal to or greater than 6 600 m ²		10 storeys
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-52 by further amendment to Map 20 of Schedule B contained in Part 13 of this By-law, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) that notice of Council's intention to pass a by-law to remove the holding symbol from the subject lands is provided in accordance with the provisions of Section 36 of the <i>Planning Act</i>, as amended; (2) consolidation of properties resulting in a lot with a minimum lot area of 2 800 m². 			

4.15.3.53	Exception: RA2-53	Map # 57	By-law: 0449-2007, 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0208-2022
<p>In a RA2-53 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Additional Permitted Uses			
4.15.3.53.1	(1) Back to Back and Stacked Townhouses (2) Townhouse		
Regulations			
4.15.3.53.2	Minimum number of dwelling units per hectare		45
4.15.3.53.3	Maximum number of dwelling units per hectare		100
4.15.3.53.4	All site development plans for apartment, back to back and stacked townhouses and townhouses shall comply with Schedule RA2-53 of this Exception		
4.15.3.53.5	Apartment: An apartment shall comply with the RA2 zone regulations contained in Subsection 4.15.1 of this By-law except that:		
	(1) the regulations of Lines 4.0, 5.0 and 15.5 contained in Table 4.15.1 of this By-law shall not apply		
	(2) apartments shall only be permitted in Buildable Area 'A' identified on Schedule RA2-53 of this Exception		
	(3) maximum encroachment of a balcony , located above the first storey , sunroom, window, with or without a foundation, chimney, pilaster, cornice, balustrade or roof eave outside the buildable area identified on Schedule RA2-53 of this Exception		1.8 m


Exception RA2-53 continued on next page

Part 4 - Residential Zones

4.15.3.53	Exception: RA2-53	Map # 57	By-law: 0449-2007, 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0208-2022
Exception RA2-53 continued from previous page			
4.15.3.53.5 (continued)	<ul style="list-style-type: none"> (4) maximum encroachment of a porch, inclusive of stairs, located at and accessible from the first storey, staircase, landing or awning, provided that each shall have a maximum width of 6.0 m, outside the buildable area identified on Schedule RA2-53 of this Exception (5) minimum number of resident parking spaces per one-bedroom dwelling unit (6) minimum number of resident parking spaces per two-bedroom dwelling unit (7) minimum number of resident parking spaces per three-bedroom dwelling unit (8) minimum number of visitor parking spaces per dwelling unit 	<p align="right">4.5 m</p> <p align="right">1.0</p> <p align="right">1.3</p> <p align="right">1.4</p> <p align="right">0.2</p>	
4.15.3.53.6	<p>Back to Back and Stacked Townhouses:</p> <p>A back to back and stacked townhouse shall comply with the RM8-14 zone regulations contained in Exception Table 4.13A.2.14 of this By-law except that:</p> <ul style="list-style-type: none"> (1) the regulations of Sentences 4.13A.2.14.3 and 4.13A.2.14.4 contained in Exception Table 4.13A.2.14 of this By-law shall not apply (2) back to back and stacked townhouses shall only be permitted in Buildable Area 'B' identified on Schedule RA2-53 of this Exception (3) a balcony is permitted on top of an attached garage (4) maximum height (5) maximum encroachment of a porch, inclusive of stairs, located at or below the first storey of a back to back and stacked townhouse outside the buildable area identified on Schedule RA2-53 of this Exception (6) maximum encroachment of an awning, window projection with or without foundation, chimney, pilaster or corbel outside the buildable area identified on Schedule RA2-53 of this Exception (7) maximum encroachment of a deck, inclusive of stairs, balcony or awning, attached to a rear wall, outside the buildable area identified on Schedule RA2-53 of this Exception (8) maximum encroachment of a wing wall attached to a back to back and stacked townhouse outside the buildable area identified on Schedule RA2-53 of this Exception (9) minimum number of resident parking spaces per one-bedroom dwelling unit (10) minimum number of resident parking spaces per two-bedroom dwelling unit (11) minimum number of resident parking spaces per three-bedroom dwelling unit (12) minimum number of visitor parking spaces per dwelling unit 		

Exception RA2-53 continued on next page

4.15.3.53	Exception: RA2-53	Map # 57	By-law: 0449-2007, 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0208-2022
Exception RA2-53 continued from previous page			
4.15.3.53.7	<p>Townhouse:</p> <p>A townhouse shall comply with the RM8-14 zone regulations contained in Exception Table 4.13A.2.14 of this By-law except that:</p> <ol style="list-style-type: none"> (1) the regulations of Sentences 4.13A.2.14.3 and 4.13A.2.14.4 contained in Exception Table 4.13A.2.14 of this By-law shall not apply (2) townhouses shall only be permitted in Buildable Area 'C' identified on Schedule RA2-53 of this Exception (3) maximum height 11.5 m (4) maximum encroachment of a porch, inclusive of stairs, located at or below the first storey of a townhouse outside the buildable area identified on Schedule RA2-53 of this Exception 1.8 m (5) maximum encroachment of an awning, window projection with or without foundation, chimney, pilaster or corbel outside the buildable area identified on Schedule RA2-53 of this Exception 0.6 m (6) maximum encroachment of a deck, exclusive of stairs, balcony or awning, attached to a rear wall, outside the buildable area identified on Schedule RA2-53 of this Exception 1.8 m (7) maximum encroachment of a wing wall attached to a townhouse outside the buildable area identified on Schedule RA2-53 of this Exception 3.0 m 		



Schedule RA2-53
 Map 57

Part 4 - Residential Zones

4.15.3.54	Exception: RA2-54	Map # 57	By-law: 0097-2009, 0174-2017, 0111-2019/ LPAT Order 2021 March 09
In a RA2-54 zone the applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Permitted Uses			
4.15.3.54.1	Lands zoned RA2-54 shall only be used for the following:		
	<ul style="list-style-type: none"> (1) Retirement Building (2) Long-Term Care Building (3) Day care accessory to a retirement building or a long-term care building 		
Regulations			
4.15.3.54.2	The provisions contained in Sentence 4.1.15.1.2 of this By-law shall not apply		
4.15.3.54.3	Maximum number of retirement dwelling units		93
4.15.3.54.4	Maximum number of beds in a long-term care building		31
4.15.3.54.5	Maximum floor space index - apartment zone		1.9
4.15.3.54.6	Minimum exterior side yard		6.1 m
4.15.3.54.7	Minimum interior side yard		3.4 m
4.15.3.54.8	Minimum setback from a retaining wall to an interior side lot line		0.0 m
4.15.3.54.9	Minimum rear yard		4.1 m
4.15.3.54.10	Maximum encroachment of a balcony , window, pilaster, cornice, balustrade or roof eave into a required exterior side yard or rear yard		1.8 m
4.15.3.54.11	Maximum encroachment of a balcony , inclusive of foundation and/or underground structure into a required exterior side yard		3.0 m
4.15.3.54.12	Minimum number of parking spaces per retirement dwelling unit		0.45
4.15.3.54.13	Minimum number of parking spaces per 100 m ² GFA - non-residential for a day care		2.5
4.15.3.54.14	Minimum setback from surface parking spaces or aisles to a street line		3.0 m
4.15.3.54.15	Minimum setback from a waste enclosure/loading area to a street line		9.1 m
4.15.3.54.16	Minimum depth of a landscaped buffer abutting a lot line that is a street line and/or abutting lands with a Residential Zone		3.0 m
4.15.3.54.17	Maximum encroachment of a hammerhead into a landscaped buffer abutting lands with a Development or Commercial Zone		1.5 m

Part 4 - Residential Zones

4.15.3.55	Exception: RA2-55	Map # 36W	By-law: 0088-2013/OMB Order 2013 November 18, 0174-2017
In a RA2-55 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.55.1	The southerly lot line shall be deemed to be the front lot line		
4.15.3.55.2	Maximum floor space index - apartment zone		2.44
4.15.3.55.3	Maximum number of dwelling units on all lands zoned RA2-55		246
4.15.3.55.4	Minimum front yard		4.5 m
4.15.3.55.5	Minimum exterior side yard		4.5 m
4.15.3.55.6	Minimum rear yard		4.5 m
4.15.3.55.7	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to a street line		0.0 m
4.15.3.55.8	Minimum landscaped area		30% of lot area


4.15.3.56	Exception: RA2-56	Map # 19	By-law: OMB Order 2015 December 03, 0174-2017
In a RA2-56 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.56.1	Maximum floor space index - apartment zone		0.94
4.15.3.56.2	Minimum width of a landscaped buffer abutting lands zoned RM5-55		3.0 m

4.15.3.57	Exception: RA2-57	Map # 06	By-law: 0007-2020, 0153-2024
In a RA2-57 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Use			
4.15.3.57.1	(1) Uses permitted in a C4 zone as contained in Table 6.2.1 of this By-law		
Regulations			
4.15.3.57.2	The provisions contained in Table 2.1.2.1.1 and the regulations of Lines 4.0, 5.0, 15.2, 15.3 and 15.6 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.57.3	Maximum gross floor area - residential		26 950 m ²
4.15.3.57.4	Minimum gross floor area - non-residential		735 m ²
4.15.3.57.5	The uses contained in Sentence 4.15.3.57.1 of this Exception shall not be permitted above the first storey		
4.15.3.57.6	Minimum setback to a sight triangle		0.0 m
4.15.3.57.7	Maximum encroachment into a required front yard of an awning or pier		3.0 m

Exception RA2-57 continued next page

Part 4 - Residential Zones

4.15.3.57	Exception: RA2-57	Map # 06	By-law: 0007-2020, 0153-2024
Exception RA2-57 continued from previous page			
4.15.3.57.8	Maximum number of resident parking spaces that may be tandem parking spaces		22
4.15.3.57.9	Required number of loading spaces		2
4.15.3.57.10	Minimum setback from a parking structure to all lands zoned G1		3.0 m
4.15.3.57.11	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells and exclusive of any ventilation shafts, to a lot line		0.9 m
4.15.3.57.12	Minimum aisle width		6.0 m
4.15.3.57.13	Minimum landscaped area		23%
4.15.3.57.14	All site development plans shall comply with Schedule RA2-57 of this Exception		




Schedule RA2-57
Map 06

Part 4 - Residential Zones

4.15.3.58	Exception: RA2-58	Map # 18	By-law: 0250-2022
<p>In a RA2-58 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Regulations			
4.15.3.58.1	Maximum floor space index - apartment zone		1.6
4.15.3.58.2	Notwithstanding Sentence 4.15.3.58.15 of this Exception, maximum encroachment into a required front yard of a maximum of one porch and staircase provided that the porch shall have a maximum width of 8.0 m		5.6 m
4.15.3.58.3	Minimum number of resident parking spaces per apartment dwelling unit		0.55
4.15.3.58.4	Minimum number of resident parking spaces per retirement dwelling unit		0.15
4.15.3.58.5	Minimum number of visitor parking spaces per dwelling unit		0.11
4.15.3.58.6	Minimum setback from surface parking spaces or aisles to an interior side lot line		1.9 m
4.15.3.58.7	Minimum landscaped area		36% of the lot area
4.15.3.58.8	Minimum depth of a landscaped buffer along an interior side lot line		0.4 m
4.15.3.58.9	Minimum depth of a landscaped buffer along a rear lot line		3.4 m
4.15.3.58.10	Minimum amenity area		1 835 m ²
4.15.3.58.11	Minimum percentage of total required amenity area to be provided in one contiguous area		35%
4.15.3.58.12	Minimum amenity area to be provided outside		1 060 m ²
4.15.3.58.13	Accessory buildings and structures shall not be permitted in a rear yard		
4.15.3.58.14	<p>Notwithstanding Table 4.1.2.2 of this By-law and Sentence 4.15.3.58.15 of this Exception, a maximum of four accessory buildings or structures are permitted outside the buildable area of which:</p> <p>(1) a maximum of one accessory building or structure may be located between the front wall of a building and a front lot line; and within a required landscaped buffer abutting a front lot line</p>		
4.15.3.58.15	All site development plans shall comply with Schedule RA2-58 of this Exception		

DUNDAS STREET WEST



Schedule RA2-58
Map 18

Part 4 - Residential Zones

4.15.3.59	Exception: RA2-59	Map # 01	By-law: 0183-2021
In a RA2-59 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.59.1	The regulations of Lines 8.2, 9.1 to 9.4 and 13.2 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.59.2	Maximum floor space index - apartment zone		1.8
4.15.3.59.3	Maximum height		23.0 m and 7 storeys
4.15.3.59.4	Minimum front yard for that portion of the dwelling with a height less than or equal to 13.0 m		4.0 m
4.15.3.59.5	Minimum front yard for that portion of the dwelling with a height greater than 13.0 m and less than or equal to 23.0 m		5.5 m
4.15.3.59.6	Minimum exterior side yard for that portion of the dwelling with a height less than or equal to 13.0 m		5.9 m
4.15.3.59.7	Minimum exterior side yard for that portion of the dwelling with a height greater than 13.0 m and less than or equal to 23.0 m		8.9 m
4.15.3.59.8	Minimum interior side yard where an interior side lot line , or any portion thereof, abuts a zone permitting detached and/or semi-detached		3.0 m
4.15.3.59.9	Minimum setback to a sight triangle		0.0 m
4.15.3.59.10	Minimum number of resident parking spaces per rental apartment dwelling unit		0.76
4.15.3.59.11	Minimum setback from surface parking spaces or aisles to a rear lot line , exterior side lot line and interior side lot line		0.9 m
4.15.3.59.12	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to any lot line		1.0 m
4.15.3.59.13	Minimum landscaped area		35% of the lot area

Exception RA2-59 continued on next page

4.15.3.59	Exception: RA2-59	Map # 01	By-law: 0183-2021
Exception RA2-59 continued from previous page			
4.15.3.59.14	Minimum depth of a landscaped buffer abutting any lot line		0.0 m
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-59 by further amendment to Map 01 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) delivery of an updated Functional Servicing Report and Servicing Plan and any necessary infrastructure and easements to the satisfaction of the City of Mississauga ("City") Transportation and Works Department; (2) delivery of a Temporary Discharge to Storm Sewer Commitment letter and associated City approval; (3) delivery of additional supporting documentation for the Environmental Site Assessment report to the satisfaction of the City and if required a Record of Site Condition for lands being transferred from the Region of Peel ("Region") to the Peel Housing Corporation; (4) delivery of documentation confirming that the land at the southeast corner of the property has been acquired and merged into one consolidated land parcel, to the satisfaction of the City; (5) delivery of documentation confirming gratuitous land dedication, in favour of the City, associated with the daylight triangles at: <ol style="list-style-type: none"> (5.1) the corner of Lakeshore Road East and East Avenue; and (5.2) the corner of East Avenue and the driveway entrance, to the satisfaction of the City; (6) delivery of documentation confirming gratuitous land dedication, in favour of the City, at the southwest corner of the property that have been identified for a future multi-modal connection between Byngmount Avenue and East Avenue, to the satisfaction of the City; (7) delivery of public easements in favour of the City to provide vehicular and pedestrian access to achieve access and interconnections with the land to the south municipally known as 930 East Avenue to the satisfaction of the City, and the Region; (8) delivery of an executed Development Agreement, including any necessary provisions for municipal infrastructure, in a form and on terms satisfactory to the City. 			

Part 4 - Residential Zones

4.15.3.60	Exception: RA2-60	Map #44W	By-law: OLT Order 2022 July 25
In a RA2-60 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.60.1	The provisions contained in Subsections 2.1.14 and 2.1.30 and the regulations of Lines 13.6 and 13.7 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.60.2	Maximum floor space index - apartment zone		2.1
4.15.3.60.3	Maximum height		21.5 m and 6 storeys
4.15.3.60.4	Minimum front yard		2.3 m
4.15.3.60.5	Notwithstanding Sentence 4.15.3.60.4 of this Exception, minimum front yard to an underground parking structure		1.7 m
4.15.3.60.6	Minimum southerly interior side yard for that portion of the dwelling with a height less than or equal to 15.2 m		15.4 m
4.15.3.60.7	Minimum southerly interior side yard for that portion of the dwelling with a height greater than 15.2 m		20.0 m
4.15.3.60.8	Minimum rear yard for that portion of the dwelling with a height less than or equal to 11.8 m		7.3 m
4.15.3.60.9	Minimum rear yard for that portion of the dwelling with a height greater than 11.8 m		13.1 m
4.15.3.60.10	Minimum number of resident parking spaces per dwelling unit		1.0
4.15.3.60.11	Minimum setback from a parking structure above or partially above finished grade, inclusive of stairs and ventilation shafts, to any lot line abutting lands with a Residential Zone		3.0 m
4.15.3.60.12	Minimum setback from a parking structure above or partially above finished grade, inclusive of stairs and ventilation shafts, to any lot line abutting lands with a Greenlands Zone		4.8 m
4.15.3.60.13	Minimum depth of a landscaped buffer abutting McLaughlin Road		2.3 m
4.15.3.60.14	Bicycle parking and/or transformer on a hard surfaced area is permitted within a landscaped buffer abutting McLaughlin Road		
4.15.3.60.15	Minimum depth of a landscaped buffer abutting lands with a Residential Zone		3.0 m
4.15.3.60.16	Minimum depth of a landscaped buffer abutting lands with a Greenlands Zone		4.8 m
4.15.3.60.17	Minimum amenity area		1.8 m ² per dwelling unit


Exception RA2-60 continued on next page

4.15.3.60	Exception: RA2-60	Map #44W	By-law: OLT Order 2022 July 25
Exception RA2-60 continued from previous page			
4.15.3.60.18	Minimum amenity area to be provided outside		160 m ²
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-60 by further amendment to Map 44W of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) delivery of an executed agreement for the provision of certain facilities, services or matters, pursuant to section 37 of the <i>Planning Act</i>, as it read on the day before section 9 of Schedule 12 to the <i>More Homes, More Choices Act, 2019</i> came into force, in a form and on terms satisfactory to the City of Mississauga ("City"); (2) submission of satisfactory grading and servicing drawings to City standards and specifications; (3) submission of a satisfactory Traffic Impact Study, including any Functional Design Plans for any road improvements to City standards and specifications; (4) delivery of an executed Development Agreement in a form and on terms satisfactory to the City to capture the obligations to complete the required municipal infrastructure works in support of the proposed development; (5) the submission of a satisfactory Functional Servicing Report to City standards and specifications; (6) arrangements for the registration of an easement between Lots 2 and 3 to the satisfaction of the Region of Peel. 			

Part 4 - Residential Zones

4.15.3.61	Exception: RA2-61	Map # 07	By-law: OLT Order 2022 December 09, 0217-2023, 0168-2024
In a RA2-61 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Uses			
4.15.3.61.1	(1) Retail Store (2) Restaurant (3) Take-out Restaurant (4) Service Establishment (5) Financial Institution (6) Office (7) Medical Office (8) Artist Studio (9) Art Gallery (10) Museum		
Regulations			
4.15.3.61.2	The provisions contained in Subsections 2.1.14, 2.1.30 and the regulations of Lines 15.2 and 15.3 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.61.3	Maximum number of dwelling units		166
4.15.3.61.4	Apartment dwelling units shall not be permitted on the first storey of the building abutting Lakeshore Road East		
4.15.3.61.5	Maximum floor space index - apartment zone		3.6
4.15.3.61.6	Minimum total gross floor area - non-residential for uses contained in Sentence 4.15.3.61.1 of this Exception and located on the first storey abutting Lakeshore Road East		365 m ²
4.15.3.61.7	The lot line abutting Lakeshore Road East shall be deemed to be the front lot line		
4.15.3.61.8	Notwithstanding Sentence 4.15.3.61.15 of this Exception, minimum exterior side yard for apartment dwelling units on the first storey abutting Enola Avenue		4.0 m
4.15.3.61.9	Notwithstanding Sentence 4.15.3.61.15 of this Exception, minimum rear yard for the first storey and second storey of the building		12.4 m
4.15.3.61.10	Minimum number of loading spaces		1
4.15.3.61.11	Minimum landscaped area		24% of the lot area
4.15.3.61.12	Notwithstanding Sentence 4.15.3.61.2 of this Exception, minimum depth of a landscaped buffer abutting a Residential Zone		4.5 m
4.15.3.61.13	Where 365 m ² to less than 425 m ² of gross floor area - non-residential is provided, minimum amenity area		5.0 m ² per dwelling unit
4.15.3.61.14	Where equal to or greater than 425 m ² of gross floor area - non-residential is provided, minimum amenity area		4.5 m ² per dwelling unit
4.15.3.61.15	All site development plans shall comply with Schedule RA2-61 of this Exception		

LAKESHORE ROAD EAST



Schedule RA2-61
Map 07

Part 4 - Residential Zones

4.15.3.62	Exception: RA2-62	Map # 06	By-law: 0206-2023
<p>In a RA2-62 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Additional Permitted Uses			
4.15.3.62.1	(1)	Uses permitted in a C4 zone as contained in Table 6.2.1 of this By-law	
Regulations			
4.15.3.62.2	The provisions contained in Table 2.1.2.1.1, Subsections 2.1.14 and 2.1.30 and the regulations of Lines 15.1, 15.2, 15.3 and 15.6 contained in Table 4.15.1 of the By-law shall not apply		
4.15.3.62.3	Maximum floor space index - apartment zone		3.8
4.15.3.62.4	Minimum gross floor area - non-residential		650 m ²
4.15.3.62.5	Notwithstanding any other provisions of this By-law, the calculation of height for apartment, long-term care and retirement buildings , shall be exclusive of an enclosed rooftop amenity area , mechanical penthouse or architectural appurtenances such as mechanical equipment, elevator machine rooms, telecommunication equipment and enclosures, parapets , turrets, cupolas and elevator and stair enclosures, located on the roof of a dwelling provided that the maximum height of such elements is no higher than 4.5 m above the height limit otherwise applicable		
4.15.3.62.6	Notwithstanding Sentence 4.15.3.62.14 of this Exception, a bus shelter shall be permitted within the required setback from a building or structure to the lot line abutting Lakeshore Road East		
4.15.3.62.7	Notwithstanding Sentence 4.15.3.62.14 of this Exception, a porch inclusive of stairs shall be permitted within the required setback from a building or structure to the lot lines abutting Ogden Avenue and Strathy Avenue		
4.15.3.62.8	Notwithstanding Sentence 4.15.3.62.14 of this Exception, maximum projection of a balcony measured from the outermost face or faces of the building from which the balcony projects		1.8 m
4.15.3.62.9	Minimum number of parking spaces per dwelling unit		0.9
4.15.3.62.10	Minimum number of parking spaces per 100 m ² of gross floor area - non-residential for uses contained in Sentence 4.15.3.62.1 of this Exception, except for a restaurant with a gross floor area - non-residential greater than 220 m ²		3.0
4.15.3.62.11	<p>For the visitor component, a shared parking arrangement may be used for the calculation of required residential visitor/non-residential parking in accordance with the following:</p> <p>the greater of</p> <p>0.2 visitor parking spaces per dwelling unit</p> <p>or</p> <p>Parking required for all non-residential uses except for restaurant over 220 m² gross floor area - non-residential</p> <p>Parking for restaurant over 220 m² gross floor area - non-residential, shall not be included in the above shared parking arrangement and shall be provided in accordance with applicable regulations contained in Table 3.1.2.2 of this By-law</p>		
4.15.3.62.12	Minimum number of loading spaces to be provided for non-residential and residential uses		1

Exception RA2-62 continued on next page

Part 4 - Residential Zones

4.15.3.62	Exception: RA2-62	Map # 06	By-law: 0206-2023
Exception RA2-62 continued from previous page			
4.15.3.62.13	Minimum depth of a landscaped buffer abutting lands with a Residential Zone		4.5 m
4.15.3.62.14	All site development plans shall comply with Schedule RA2-62 of this Exception		
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-62 by further amendment to Map 06 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga ("City"); (2) satisfactory arrangements with the City's Transportation and Works and Planning and Building Departments regarding the details and location of the required bus shelter; (3) submission of an updated Functional Servicing Report, Traffic Impact Study and updated grading plans to the satisfaction of the City's Transportation and Works Department and Region of Peel Development Services Department; (4) satisfactory arrangements with the Region of Peel or its successor with respect to waste collection; (5) satisfactory arrangements with the City's Planning and Building Department regarding the affordable housing contribution; (6) submission of an updated Noise Study and arrangements regarding noise mitigation measures. 			


Part 4 - Residential Zones

4.15.3.63	Exception: RA2-63	Map # 05	By-law: 0116-2023, 0158-2023
In a RA2-63 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Use			
4.15.3.63.1	(1)	Uses permitted in a C4 zone as contained in Table 6.2.1 of this By-law	
Regulations			
4.15.3.63.2	The provisions contained in Table 2.1.2.1.1, Subsections 2.1.14 and 2.1.30, and the regulations of Lines 15.1, 15.2, 15.3 and 15.6 contained in Table 4.15.1 of this By-law shall not apply		
4.15.3.63.3	Maximum floor space index - apartment zone	3.3	
4.15.3.63.4	Minimum gross floor area - non-residential	415 m ²	
4.15.3.63.5	Notwithstanding any other provisions of this By-law, the calculation of height for apartment, long-term care and retirement buildings , shall be exclusive of an enclosed rooftop amenity area , mechanical penthouse or architectural appurtenances such as mechanical equipment, elevator machine rooms, telecommunication equipment and enclosures, parapets , turrets, cupolas and elevator and stair enclosures, located on the roof of a dwelling provided that the maximum height of the top of such elements is no higher than 4.5 m above the height limit otherwise applicable		
4.15.3.63.6	Notwithstanding Sentence 4.15.3.63.13 of this Exception, a porch inclusive of stairs shall be permitted within the required setback from a building or structure to the lot line abutting Cherriebell Road		
4.15.3.63.7	Notwithstanding Sentence 4.15.3.63.13 of this Exception,	maximum projection of a balcony measured from the outermost face or faces of the building from which the balcony projects	1.8 m
4.15.3.63.8	Minimum number of parking spaces per dwelling unit	0.9	
4.15.3.63.9	Minimum number of parking spaces per 100 m ² of gross floor area - non-residential for uses contained in Sentence 4.15.3.63.1 of this Exception, except for a restaurant with a gross floor area - non-residential greater than 220 m ²	3.0	
4.15.3.63.10	For the visitor component, a shared parking arrangement may be used for the calculation of required residential visitor/non-residential parking in accordance with the following: the greater of 0.2 visitor parking spaces per dwelling unit or Parking required for all non-residential uses except for restaurant over 220 m ² gross floor area - non-residential Parking for restaurant over 220 m ² gross floor area - non-residential shall not be included in the above shared parking arrangement and shall be provided in accordance with applicable regulations contained in Table 3.1.2.2 of this By-law		
4.15.3.63.11	Minimum number of loading spaces to be provided for residential and non-residential uses	1	
4.15.3.63.12	Minimum depth of a landscaped buffer abutting a lot line that is abutting lands with a Residential Zone	4.5 m	

Exception RA2-63 continued on next page

Part 4 - Residential Zones

4.15.3.63	Exception: RA2-63	Map # 05	By-law: 0116-2023, 0158-2023
Exception RA2-63 continued from previous page			
4.15.3.63.13	All site development plans shall comply with Schedule RA2-63 of this Exception		
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-63 by further amendment to Map 05 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga ("City"); (2) submission of an updated Functional Servicing Report, Traffic Impact Study and Noise Study to the satisfaction of the City's Transportation and Works Department; (3) satisfactory arrangements with the Region of Peel or its successor with respect to waste collection; (4) satisfactory submission of required environmental reliance letters; (5) satisfactory arrangements with the City's Planning and Building Department regarding the affordable housing contribution. 			



Schedule RA2-63
Map 05

Part 4 - Residential Zones

4.15.3.64	Exception: RA2-64	Map # 39E	By-law: 0040-2024
<p>In a RA2-64 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:</p>			
Additional Permitted Uses			
4.15.3.64.1	(1) Restaurant (2) Take-out Restaurant (3) Veterinary Clinic (4) Recreational Establishment (5) Day Care		
Regulations			
4.15.3.64.2	The provisions contained in Subsection 2.1.14 of this By-law shall not apply		
4.15.3.64.3	Uses contained in Sentence 4.15.3.64.1 of this Exception shall not be permitted above the first storey		
4.15.3.64.4	The uses contained in Sentence 4.15.3.64.1 of this Exception shall only be located within a building, structure or part thereof, used for an apartment, long-term care building, retirement building , or any combination thereof		
4.15.3.64.5	Maximum floor space index - apartment zone		2.2
4.15.3.64.6	Minimum gross floor area - non-residential		550 m ²
4.15.3.64.7	Notwithstanding Sentence 4.15.3.64.15 of this Exception, maximum encroachment of a balcony located above the first storey , sunroom, window, chimney , pilaster, cornice, balustrade or roof eaves into a required yard		1.8 m
4.15.3.64.8	Notwithstanding Sentence 4.15.3.64.15 of this Exception, maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects		1.8 m
4.15.3.64.9	Minimum number of resident parking spaces per condominium apartment dwelling unit		0.8
4.15.3.64.10	<p>For the visitor component, a shared parking arrangement may be used for the calculation of required visitor/non-residential parking in accordance with the following:</p> <p>the greater of</p> <p>0.2 visitor parking spaces per dwelling unit</p> <p>or</p> <p>Parking required for all non-residential uses, located in the same building or on the same lot as the residential use, except restaurant over 220 m² gross floor area - non-residential</p> <p>Parking for restaurant over 220 m² gross floor area - non-residential, shall not be included in the above shared parking arrangement and shall be provided in accordance with applicable regulations contained in Table 3.1.2.2 of this By-law</p>		
4.15.3.64.11	Minimum number of loading spaces to be provided for non-residential and residential uses		1
4.15.3.64.12	Minimum landscaped area		26% of the lot area
4.15.3.64.13	A transformer on a hard surfaced area is permitted within a landscaped buffer		
4.15.3.64.14	Minimum amenity area		3.9 m ² per dwelling unit

Exception RA2-64 continued on next page

4.15.3.64	Exception: RA2-64	Map # 39E	By-law: 0040-2024
Exception RA2-64 continued from previous page			
4.15.3.64.15	All site development plans shall comply with Schedule RA2-64 of this Exception		
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-64 by further amendment to Map 39E of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga ("City"); (2) land dedication to achieve the ultimate 15.0 m right-of-way of James Street; (3) the submission of the following environmental studies and documents to the satisfaction of the City's Transportation and Works Department: letters of reliance for Phases One and Two Environmental Site Assessments, updated Phase Two Environmental Site Assessment, decommissioning plans and documents, letter from qualified person regarding land dedication; (4) completion and filing of a Record of Site Condition (RSC) with the Ministry of Environment, Conservation and Parks; (5) submission of an updated Parking Utilization Study satisfactory to the City's Transportation and Works Department; and, (6) submission of an evaluation confirming that the proposal complies with the Canadian Pacific Railway Guidelines. 			

Part 4 - Residential Zones

4.15.3.65	Exception: RA2-65	Map # 45W	By-law: OLT Order 2024 April 12
In a RA2-65 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Additional Permitted Uses			
4.15.3.65.1	(1) Restaurant (2) Convenience Restaurant (3) Take-out Restaurant (4) Veterinary Clinic (5) Animal Care Establishment (6) Medical Office (7) Recreational Establishment (8) Entertainment Establishment (9) Private Club		
Regulations			
4.15.3.65.2	The provisions contained in Subsection 2.1.14, Sentences 3.1.1.4.3 and 3.1.1.4.4 of this By-law shall not apply		
4.15.3.65.3	Uses contained in Sentence 4.15.3.65.1 of this Exception shall not be permitted above the first storey		
4.15.3.65.4	The uses contained in Sentence 4.15.3.65.1 of this Exception shall only be located within a building, structure or part thereof, used for an apartment, long-term care building, retirement building , or any combination thereof		
4.15.3.65.5	Maximum number of condominium apartment studio dwelling units		164
4.15.3.65.6	Maximum floor space index - apartment zone		3.1
4.15.3.65.7	Minimum gross floor area - non-residential		1 200 m ²
4.15.3.65.8	Notwithstanding Sentence 4.15.3.65.28 of this Exception, wing walls shall be permitted in the side and rear yards		
4.15.3.65.9	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum encroachment of a canopy above the main front entrance of the first storey or second storey into a required front yard		3.5 m
4.15.3.65.10	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum encroachment of a canopy above the main front entrance of the first storey or second storey into the northerly interior side yard		2.1 m
4.15.3.65.11	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum encroachment of a canopy into a required interior side yard and rear yard		1.5 m
4.15.3.65.12	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum encroachment of architectural features into a required yard		2.1 m

Exception RA2-65 continued on next page


Part 4 - Residential Zones

4.15.3.65	Exception: RA2-65	Map # 45W	By-law: OLT Order 2024 April 12
Exception RA2-65 continued from previous page			
4.15.3.65.13	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects		2.1 m
4.15.3.65.14	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum projection of a canopy above the main front entrance of the first storey or second storey , measured from the outermost face or faces of the building into a required front yard		3.5 m
4.15.3.65.15	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum projection of a canopy above the main front entrance of the first storey or second storey , located outside the buildable area along the northerly side lot line		2.1 m
4.15.3.65.16	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum projection of a canopy measured from the outermost face or faces of the building into a required interior side yard and rear yard		1.5 m
4.15.3.65.17	Notwithstanding Sentence 4.15.3.65.28 of this Exception, maximum projection of architectural features measured from the outermost face of the building into a required yard		2.1 m
4.15.3.65.18	The calculation of resident parking spaces shall be in accordance with the following: the greater of 0.74 resident parking spaces per studio condominium apartment dwelling unit , plus 0.95 resident parking spaces per one-bedroom, two-bedroom, and three-bedroom condominium apartment dwelling units or 0.87 resident parking spaces per condominium apartment dwelling unit		
4.15.3.65.19	For the visitor component, a shared parking arrangement may be used for the calculation of required residential visitor/non-residential parking in accordance with the following: the greater of 0.13 visitor parking spaces per dwelling unit or 4.3 parking spaces per 100 m ² of gross floor area - non-residential located in the same building or on the same lot as the residential use, except restaurant over 220 m ² gross floor area - non-residential Parking for a restaurant over 220 m ² gross floor area - non-residential , shall not be included in the above shared parking arrangement and shall be provided in accordance with applicable regulations contained in Table 3.1.2.2 of this By-law		
4.15.3.65.20	Notwithstanding Sentence 3.1.1.4.2 of this By-law, total number of parallel parking spaces having a minimum width of 2.0 m and a minimum length of 5.2 m		3
4.15.3.65.21	Notwithstanding Sentence 3.1.1.4.1 of this By-law, a tandem parking space shall have a minimum length of 5.0 m		
4.15.3.65.22	Maximum percentage of required residential parking spaces that may be tandem		6.5%

Exception RA2-65 continued on next page

Part 4 - Residential Zones

4.15.3.65	Exception: RA2-65	Map # 45W	By-law: OLT Order 2024 April 12
Exception RA2-65 continued from previous page			
4.15.3.65.23	Minimum landscaped area		37% of the lot area
4.15.3.65.24	Notwithstanding Sentence 4.15.3.65.28 of this Exception, ventilation shafts and bicycle parking spaces shall be permitted to encroach into a landscaped buffer		
4.15.3.65.25	Minimum depth of a landscaped buffer abutting the northerly lot line		1.8 m
4.15.3.65.26	Minimum depth of a landscaped buffer abutting the southerly lot line		2.0 m
4.15.3.65.27	"Terrace" means an accessible, external platform situated wholly on the rooftop of the structure below with no access to the ground		
4.15.3.65.28	All site development plans shall comply with Schedule RA2-65 of this Exception		
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-65 by further amendment to Map 45W of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none"> (1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga ("City"); (2) delivery of an executed Easement Encroachment Agreement for the proposed works within the storm sewer easement to the satisfaction of the City; (3) delivery of an executed Easement Encroachment Agreement for the proposed works within the Region of Peel sanitary easement; (4) submission of the following, in a form and on terms satisfactory to the City: an updated Noise and Vibration Report, updated Transportation Impact Study, revised and updated Civil Engineering Plans, updated Functional Servicing and Stormwater Management Report, updated Phase 2 Environmental Site Assessment (ESA), a well decommissioning letter prepared by a Professional Engineer, and a Storm Sewer Use By-law Acknowledgement Letter; (5) completion and filing of a Record of Site Condition (RSC) with the Ministry of Environment; (6) submission of an updated Sun/Shadow Study to the satisfaction of the City's Planning and Building Department; (7) submission of an updated Pedestrian Level Wind Study to the satisfaction of the City's Planning and Building Department. 			



Schedule RA2-65
Map 45W

Part 4 - Residential Zones

4.15.3.66	Exception: RA2-66	Map # 27	By-law: 0054-2024
In a RA2-66 zone the permitted uses and applicable regulations shall be as specified for a RA2 zone except that the following uses/regulations shall apply:			
Regulations			
4.15.3.66.1	Maximum floor space index - apartment zone		1.8
4.15.3.66.2	Maximum height		20.0 m and 6 storeys
4.15.3.66.3	Notwithstanding any other provisions of this By-law, the calculation of height for apartment, long-term care and retirement buildings , shall be exclusive of an enclosed rooftop amenity area , mechanical penthouse or architectural appurtenances such as mechanical equipment, elevator machine rooms, telecommunication equipment and enclosures, parapets , turrets, cupolas and elevator and stair enclosures, located on the roof of a dwelling provided that the maximum height of such elements is no higher than 4.8 m above the height limit otherwise applicable		
4.15.3.66.4	The lot line abutting Burnhamthorpe Road East shall be deemed to be the front lot line		
4.15.3.66.5	Minimum front yard on the first storey		2.0 m
4.15.3.66.6	Minimum front yard for that portion of the dwelling with a height greater than the first storey		0.0 m
4.15.3.66.7	Minimum exterior side yard		4.5 m
4.15.3.66.8	Minimum interior side yard		7.5 m
4.15.3.66.9	Minimum setback to a sight triangle		0.9 m
4.15.3.66.10	Maximum encroachment of a balcony located above the first storey , sunroom, window, chimney , pilaster, cornice, balustrade or roof eaves into a required yard		0.0 m
4.15.3.66.11	Notwithstanding Sentence 4.15.3.66.10 of this Exception, maximum encroachment of a balcony located above the first storey into a required interior side yard		1.5 m
4.15.3.66.12	Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects		0.0 m
4.15.3.66.13	Notwithstanding Sentence 4.15.3.66.12 of this Exception, maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects		2.3 m
4.15.3.66.14	Minimum depth of a landscaped buffer abutting a front lot line		2.0 m
4.15.3.66.15	Minimum depth of a landscaped buffer abutting an exterior side lot line		3.0 m
4.15.3.66.16	Minimum depth of a landscaped buffer abutting an interior side lot line		2.8 m
4.15.3.66.17	Minimum amenity area		4.4 m ² per dwelling unit
4.15.3.66.18	Minimum percentage of total required amenity area to be provided in one contiguous area		39%

Exception RA2-66 continued on next page

4.15.3.66	Exception: RA2-66	Map # 27	By-law: 0054-2024
Exception RA2-66 continued from previous page			
Holding Provision			
<p>The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA2-66 by further amendment to Map 27 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements:</p> <ol style="list-style-type: none">(1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga ("City");(2) delivery of a filed Record of Site Condition (RSC) with the Ministry of Environment, Conservation and Parks, together with updated Environmental Site Assessment (ESA) reports including Letters of Reliance to the satisfaction of City's Transportation and Works Department;(3) delivery of a signed letter by a qualified professional regarding the suitability of fill materials and decommissioning of above ground storage tanks, oil-water separator and wells to the satisfaction of City's Transportation and Works Department;(4) submission of an updated Functional Servicing Report (FSR), a revised Grading Plan, dedication of a sight triangle at the northeast corner of Burnhamthorpe Road East, and a road widening dedication along Burnhamthorpe Road East be provided to the satisfaction of City's Transportation and Works Department;(5) delivery of a Waste Management Plan satisfactory to the City.			