## 4.13A RM8 ZONE (BACK TO BACK AND/OR STACKED TOWNHOUSES)


## 4.13A.1 RM8 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the RM8-14 Exception Zone. (0181-2018/LPAT Order 2019 February 15)

## 4.13A.2 RM8 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.13A.2.1	Exception: RM8-1	Map # 22	By-law: 0181-2018/LPAT Order 2019 February 15
	one the permitted <b>uses</b> and ap e following <b>uses</b> /regulations		shall be as specified for a RM8-14 zone
Permitted Us	ses		
4.13A.2.1.1	<ul> <li>(1) Back to Back Tow</li> <li>(2) Stacked Townhouse</li> <li>(3) Townhouse</li> <li>(4) Street Townhouse</li> </ul>	use	
Regulations			
4.13A.2.1.2	A <b>townhouse</b> shall compl contained in Subsection 4.	•	regulations
4.13A.2.1.3	A <b>street townhouse</b> shall contained in Subsection 4.		5 zone regulations
4.13A.2.1.4	All site development plans of this Exception	s shall comply with S	Schedule RM8-1



Schedule RM8-1 Map 22

(					
4.13A.2.2	Exception: RM8-2	Map # 06	By-law: 0181-2018/LPAT Order 2019 February 15		
	ne the permitted <b>uses</b> and app following <b>uses</b> /regulations s	e e	e as specified for a RM8-14 zone		
Permitted Use	S				
4.13A.2.2.1	<ol> <li>Back to Back Tow</li> <li>Stacked Townhou</li> <li>Townhouse</li> <li>Street Townhouse</li> </ol>	se			
Regulations					
4.13A.2.2.2	2.2.2 A <b>townhouse</b> shall comply with the RM4 zone regulations contained in Subsection 4.10.1 of this By-law				
4.13A.2.2.3	A street townhouse shall comply with the RM5 zone regulations contained in Subsection 4.11.1 of this By-law				

4.13A.2.3	Excej	ption: RM8-3	Map # 59	By-law: 0181-2018/LPAT Order 2019 February 15
		permitted <b>uses</b> and app ring <b>uses</b> /regulations sl		s specified for a RM8-14 zone
Permitted Use	es			
4.13A.2.3.1	(1) (2) (3) (4)	Back to Back Town Stacked Townhous Townhouse Resident parking re		0
Regulations				
4.13A.2.3.2			with the RM8-14 zone regula le 4.13A.2.14 of this By-law	tions
4.13A.2.3.3	Maxi	mum number of <b>dwell</b>	ing units	126
4.13A.2.3.4		ired number of below itted for abutting lands	grade resident <b>parking space</b> s zoned RA3-30	<b>s</b> 75

4.13A.2.4	Excep	tion: RM8-4	Map # 57	2019 Febru	LPAT Order ary 15, LPAT Order
except that the	followi	ng <b>uses</b> /regulations s	plicable regulations sha hall apply:	ll be as specified fo	or a RM8-14 zone
Additional Pe					
4.13A.2.4.1	(1) (2) (3)	Back to Back Tow Stacked Townhou Townhouse			
4.13A.2.4.2		<b>U</b>	mitted within a <b>back to</b> ng Thomas Street or Ter		
	<ol> <li>(1)</li> <li>(2)</li> <li>(3)</li> <li>(4)</li> <li>(5)</li> <li>(6)</li> </ol>	Office Medical Office - R Service Establishm Retail Store Repair Service Tutoring			
Uses Not Pern	nitted				
4.13A.2.4.3	(2) (3)	Carpet or floor cover Pet Shop Laundromat, laundry establishment or dep	/ depot and/or dry clean	ing	
Regulations					
4.13A.2.4.4	-	rovisions contained in not apply	n Subsection 2.1.14 of th	his By-law	
4.13A.2.4.5	Maxir	num number of <b>dwel</b>	ling units		194
4.13A.2.4.6	Maxir	num <b>gross floor area</b>	a - residential		$25\ 000\ m^2$
4.13A.2.4.7		nercial motor vehicl ag shall not be permit	<b>e</b> , trailer and recreationated	al vehicle	
4.13A.2.4.8	Only <b>t</b> Tosca		permitted within 30.0 m	ı of	
4.13A.2.4.9	back a		4.13A.2.4.8 of this Exce houses shall be permitte e and Thomas Street		
4.13A.2.4.10	Minin	num setback from a g	arage face to a condon	ninium road	5.5 m
4.13A.2.4.11			oorch and/or balcony, in welling unit facing a str		1.5 m
4.13A.2.4.12	Back	to Back and/or Stack	xed Townhouses:		
	(1)	4.13A.2.14.5, 4.13	Sentences 4.13A.2.14.3, A.2.14.6 and 4.13A.2.14 4.13A.2.14 of this By-1	1.7 contained	
	(2)	Exception shall onl	in Sentence 4.13A.2.4.2 y be located within the f and/or <b>stacked townho</b> u	first storey	
	(3)	Sentence 4.13A.2.4	of <b>uses</b> permitted in I.2 of this Exception per r stacked townhouse <b>dw</b>		1
	(4)		of a <b>back to back</b> and/or e to Thomas Street or Te		4.5 m
	(5)	minimum setback t	o lands zoned RM1-1		15.0 m

Exception RM8-4 continued on next page

4.13A.2.4	Excep	otion: RM	[8-4	Map # 57	0181-20 2019 Fe	0365-2007, 18/LPAT Order bruary 15, 19/LPAT Order arch 09
Exception RN	<b>18-4 co</b>	ntinued f	from previous	s page		
4.13A.2.4.12 (continued)	(6)	Except	notwithstanding Clause 4.13A.2.4.12(5) of this Exception the minimum setback from a side wall to lands zoned RM1-1			5.0 m
	(7)			a <b>back to back</b> and/or to Bentley Drive		7.0 m
	(8)	maxim	um <b>height</b>			12.0 m
	(9)	maxim	um <b>height</b> wit	thin 30.0 m of Bentley Dri	ve	10.8 m
	(10)		ım number of droom <b>dwelli</b> ı	resident <b>parking spaces</b> p ng unit	per one or	1.3
	(11)		um number of edroom <b>dwell</b>	resident <b>parking spaces</b> p ing unit	per	1.4
	(12)	minimum number of visitor <b>parking spaces</b> per <b>dwelling unit</b>		0.15		
	(13)	dwelliı	ng units facing	g Thomas Street or Tenth	Line West:	
		(13.1)	face Thomas exception of	ont entrance of a dwelling Street or Tenth Line West two upper level dwelling sight triangle of Thomas Vest	t with the <b>units</b> that	
		(13.2)		acing Thomas Street or Te ot be permitted	enth Line	
		(13.3)	the sight tria	walls for the <b>dwelling unit</b> <b>angle</b> of Thomas Street an hall not be considered side	d Tenth	
		(13.4)	exception of	m <b>dwelling unit width</b> , wi dwelling units facing the Fhomas Street and Tenth L	sight	6.2 m
		(13.5)		tback from the side wall o <b>stacked townhouse</b> to To		6.0 m
4.13A.2.4.13	Town	house:				
	(1)	minimu	um setback of	a <b>townhouse</b> to Tosca Dri	ive	7.5 m
	(2)	minimu	um setback fro	om a side wall to lands zon	ned RM1-1	5.0 m
	(3)	maxim	um <b>height</b>			10.8 m
	(4)	minimum number of visitor <b>parking spaces</b> per townhouse <b>dwelling unit</b>			0.2	

4.13A.2.5	Exception: RM8-5	Map # 57	By-law: 0449-2007, 0181-2018/LPAT Order 2019 February 15
except that the	one the permitted <b>uses</b> and e following <b>uses</b> /regulatior		all be as specified for a RM8-14 zon
Regulations			
4.13A.2.5.1	6	ences 4.13A.2.14.3 and 4 Table 4.13A.2.14 of this	
4.13A.2.5.2	Minimum number of <b>dv</b>	velling units per hectare	45
4.13A.2.5.3	Maximum number of <b>d</b>	welling units per hectare	80
4.13A.2.5.4	Maximum height		16.5 m
4.13A.2.5.5	Minimum <b>front</b> and <b>ext</b>	erior side yard	4.5 m
4.13A.2.5.6	Minimum <b>rear yard</b>		6.9 m
4.13A.2.5.7	Minimum setback from or sidewalk	a <b>garage face</b> to a <b>cond</b> o	ominium road 0.0 m
4.13A.2.5.8	A <b>balcony</b> is permitted	on top of an attached gar	age
4.13A.2.5.9	Minimum setback from <b>stacked townhouse</b> to a or visitor <b>parking space</b>	<b>condominium road</b> , sic	0.5 m lewalk
4.13A.2.5.10	Minimum setback from a <b>condominium road</b> o	a <b>porch</b> or <b>deck</b> , inclusiv r sidewalk	ve of stairs, to 0.5 m
4.13A.2.5.11		an awning, window proje <b>mney</b> , pilaster or corbel t sidewalk	
4.13A.2.5.12		a rear wall of a <b>back to l</b> he rear wall of another dy arage	
4.13A.2.5.13	Minimum number of res dwelling unit	sident <b>parking spaces</b> pe	r one-bedroom 1.0
4.13A.2.5.14	Minimum number of res dwelling unit	sident <b>parking spaces</b> pe	r two-bedroom 1.3
4.13A.2.5.15	Minimum number of res dwelling unit	sident <b>parking spaces</b> pe	r three-bedroom 1.4
4.13A.2.5.16	Minimum visitor parki	ng spaces per dwelling u	<b>nit</b> 0.2
4.13A.2.5.17	Maximum <b>floor area</b> of	an accessory building	100 m <sup>2</sup>
4.13A.2.5.18	Maximum <b>height</b> : sloped roof - accessory	building	4.8 m
4.13A.2.5.19	<b>Condominium roads</b> as abutting lands	re permitted to be shared	with


4.13A.2.6	Exception: RM8-6	•	By-law: 0218-2010, 0179-2018, 0181-2018/LF Order 2019 February 15	PAT
	ne the permitted <b>uses</b> and app following <b>uses</b> /regulations sl	blicable regulations shall be as hall apply:	specified for a RM8-14 zo	one
Regulations				
4.13A.2.6.1	of Clauses 4.13A.2.14.11(1	Number Subsection 2.1.14 and the reg 0), 4.13A.2.14.11(11) and in Exception Table 4.13A.2.14	-	
4.13A.2.6.2	Maximum number of <b>dwel</b>	l <b>ing units</b> on all lands zoned R	CM8-6 186	
4.13A.2.6.3	Maximum <b>height</b> : sloped roof		16.5 m	
4.13A.2.6.4	Minimum <b>front yard</b>		5.5 m	
4.13A.2.6.5	Minimum <b>exterior side ya</b>	rd - Rio Court	4.5 m	
4.13A.2.6.6	Minimum exterior side ya	rd - Hazelton Place	5.5 m	
4.13A.2.6.7	Maximum encroachment in exclusive of stairs	to required <b>yards</b> of a <b>porch</b> ,	1.8 m	
4.13A.2.6.8	Minimum setback from an a corbel to a <b>condominium r</b>	awning, window, <b>chimney</b> , pil <b>road</b> or sidewalk	laster or 0.5 m	
4.13A.2.6.9	Minimum setback from a <b>g</b> or sidewalk	arage face to a condominium	road 1.5 m	
4.13A.2.6.10	Minimum setback from a <b>b</b> stacked townhouse to a co or visitor parking space	<b>ack to back</b> and/or <b>ndominium road</b> , sidewalk	0.5 m	
4.13A.2.6.11		ear wall of a <b>back to back</b> and/ ar wall of another dwelling, exc		
4.13A.2.6.12	Minimum setback from a si stacked townhouse to an in	de wall of a <b>back to back</b> and nternal walkway	l/or 0.7 m	
4.13A.2.6.13	A <b>balcony</b> is permitted on t	top of an attached garage		
4.13A.2.6.14	Minimum setback between lot line	a <b>parking space</b> and any other	er 1.5 m	
4.13A.2.6.15	Minimum number of reside studio/one-bedroom <b>dwelli</b>		1.0	
4.13A.2.6.16	Minimum number of reside dwelling unit	nt <b>parking spaces</b> per two-bec	droom 1.3	
4.13A.2.6.17	Minimum number of reside dwelling unit	nt <b>parking spaces</b> per three-be	edroom 1.4	
4.13A.2.6.18	Minimum visitor parking s	spaces per dwelling unit	0.15	
4.13A.2.6.19	Maximum <b>floor area</b> of an	accessory building	100 m <sup>2</sup>	
4.13A.2.6.20	Maximum <b>height</b> of an <b>acc</b>	essory building	6.5 m	

4.13A.2.7	Exception: RM8-7	Map # 20	By-law: 0168-2011, 0181-2018/LPAT Order 2019 February 15
	one the permitted <b>uses</b> and ap following <b>uses</b> /regulations	pplicable regulations shall be as shall apply:	specified for a RM8-14 zone
Regulations			
4.13A.2.7.1		s 4.13A.2.14.8(1) and 4.13A.2. ble 4.13A.2.14 of this By-law s	
4.13A.2.7.2	Maximum number of <b>dwe</b>	<b>lling units</b> on all lands zoned F	RM8-7 27
4.13A.2.7.3	Maximum floor space ind	lex	0.68
4.13A.2.7.4	Maximum dwelling <b>heigh</b> flat roof	t:	13.8 m
4.13A.2.7.5	Minimum front yard		5.9 m
4.13A.2.7.6	Minimum <b>interior side y</b> a	ord	4.0 m
4.13A.2.7.7	Minimum rear yard		4.0 m
4.13A.2.7.8	located at and accessible f	of a <b>porch</b> , inclusive of stairs, rom the <b>first storey</b> or below th <b>back</b> and/or <b>stacked townhou</b>	
4.13A.2.7.9	Minimum setback from a gor sidewalk	garage face to a condominium	<b>road</b> 5.2 m
4.13A.2.7.10	Minimum setback from a stacked townhouse to a c		1.5 m
4.13A.2.7.11	Minimum setback from a stacked townhouse to a v		1.2 m
4.13A.2.7.12	Minimum setback from a stacked townhouse to a stacked townhouse townhouse to a stacked townhouse to	back to back and/or dewalk or internal walkway	0.0 m
4.13A.2.7.13		<b>porch</b> or <b>deck</b> , inclusive of stat lewalk or internal walkway	rs, to 0.0 m

4.13A.2.8	Exception: RM8-8	Map # 57	By-law: 0176-2012, 0181-2018/LPAT Order 2019 February 15, 0208-2022			
	In a RM8-8 zone the permitted <b>uses</b> and applicable regulations shall be as specified for a RM8-14 zone except that the following <b>uses</b> /regulations shall apply:					
Additional Per	mitted Use					
4.13A.2.8.1	(1) <b>Townhouse</b>					
Regulations						
4.13A.2.8.2	A.2.8.2 The provisions contained in Subsection 2.1.14 of this By-law shall not apply					
4.13A.2.8.3	4.13A.2.8.3 For the purposes of this By-law all lands zoned RM8-8 shall be considered one <b>lot</b>					
4.13A.2.8.4	Maximum number of dwell	ing units on all lands zoned R	M8-8 149			
4.13A.2.8.5	Maximum height		15.0 m			
4.13A.2.8.6	setback from a garage face	RM8-8 of this Exception, mini to a <b>condominium road</b> or si hin each Block 'A' identified o ception	dewalk			


Exception RM8-8 continued on next page

<ul> <li>garage face to a condominium road or sidewalk for townhouses located within each Block 'B' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.8 Minimum setback from a back to back and/or stacked townhouse to a condominium road, sidewalk, internal walkway or parking spaces</li> <li>4.13A.2.8.9 A balcony is permitted on top of an attached garage</li> <li>4.13A.2.8.10 Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'A' and Block 'B' identified on Schedule RM8-8 of this Exception</li> </ul>	2, Order , 0208-2022
garage face to a condominium road or sidewalk for townhouses located within each Block 'B' identified on Schedule RM8-8 of this Exception4.13A.2.8.8Minimum setback from a back to back and/or stacked townhouse to a condominium road, sidewalk, internal walkway or parking spaces4.13A.2.8.9A balcony is permitted on top of an attached garage4.13A.2.8.10Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'A' and Block 'B' identified on Schedule RM8-8 of this Exception4.13A.2.8.11Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'A' and Block 'B' identified on Schedule RM8-8 of this Exception4.13A.2.8.11Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'C' identified on Schedule RM8-8 of this Exception4.13A.2.8.12An awning, window, chimney, pilaster or corbel may project outside the buildable area identified on Schedule RM8-8 of this Exception provided that the minimum setback to a condominium road or sidewalk shall be 0.5 m4.13A.2.8.13Minimum number of resident parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception4.13A.2.8.14Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception	
stacked townhouse to a condominium road, sidewalk, internal walkway or parking spaces4.13A.2.8.9A balcony is permitted on top of an attached garage4.13A.2.8.10Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'A' and Block 'B' identified on Schedule RM8-8 of this Exception4.13A.2.8.11Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'C' identified on Schedule RM8-8 of this Exception4.13A.2.8.11Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'C' identified on Schedule RM8-8 of this Exception4.13A.2.8.12An awning, window, chimney, pilaster or corbel may project outside the buildable area identified on Schedule RM8-8 of this Exception provided that the minimum setback to a condominium road or sidewalk shall be 0.5 m4.13A.2.8.13Minimum number of resident parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception4.13A.2.8.14Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception	6.0 m
<ul> <li>4.13A.2.8.10 Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'A' and Block 'B' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.11 Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'C' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.12 An awning, window, chimney, pilaster or corbel may project outside the buildable area identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.12 An awning, window, chimney, pilaster or corbel may project outside the buildable area identified on Schedule RM8-8 of this Exception provided that the minimum setback to a condominium road or sidewalk shall be 0.5 m</li> <li>4.13A.2.8.13 Minimum number of resident parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.14 Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> </ul>	0.5 m
<ul> <li>and accessible from the first storey or below the first storey outside the buildable area for each Block 'A' and Block 'B' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.11 Maximum projection of a porch, inclusive of stairs, located at and accessible from the first storey or below the first storey outside the buildable area for each Block 'C' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.12 An awning, window, chimney, pilaster or corbel may project outside the buildable area identified on Schedule RM8-8 of this Exception provided that the minimum setback to a condominium road or sidewalk shall be 0.5 m</li> <li>4.13A.2.8.13 Minimum number of resident parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.14 Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> </ul>	
<ul> <li>and accessible from the first storey or below the first storey outside the buildable area for each Block 'C' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.12 An awning, window, chimney, pilaster or corbel may project outside the buildable area identified on Schedule RM8-8 of this Exception provided that the minimum setback to a condominium road or sidewalk shall be 0.5 m</li> <li>4.13A.2.8.13 Minimum number of resident parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.14 Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> </ul>	1.8 m
<ul> <li>outside the buildable area identified on Schedule RM8-8 of this Exception provided that the minimum setback to a condominium road or sidewalk shall be 0.5 m</li> <li>4.13A.2.8.13 Minimum number of resident parking spaces per townhouse dwelling unit located within each Block 'A' identified on Schedule RM8-8 of this Exception</li> <li>4.13A.2.8.14 Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on</li> </ul>	2.9 m
dwelling unitlocated within each Block 'A' identified on Schedule RM8-8 of this Exception4.13A.2.8.14Minimum number of visitor parking spaces per townhouse dwelling unit located within each Block 'A' identified on	
dwelling unit located within each Block 'A' identified on	3.0
	0.0
4.13A.2.8.15 Minimum number of resident <b>parking spaces</b> per townhouse <b>dwelling unit</b> located within each Block 'B' identified on Schedule RM8-8 of this Exception	2.0
4.13A.2.8.16 Minimum number of resident <b>parking spaces</b> per one-bedroom back to back and/or stacked townhouse <b>dwelling unit</b> located within each Block 'C' identified on Schedule RM8-8 of this Exception	1.0
4.13A.2.8.17 Minimum number of resident <b>parking spaces</b> per two-bedroom back to back and/or stacked townhouse <b>dwelling unit</b> located within each Block 'C' identified on Schedule RM8-8 of this Exception	1.3
4.13A.2.8.18 Minimum number of resident <b>parking spaces</b> per three-bedroom back to back and/or stacked townhouse <b>dwelling unit</b> located within each Block 'C' identified on Schedule RM8-8 of this Exception	1.4
	0.20
4.13A.2.8.20 The maximum <b>driveway</b> width shall be equal to the width of the <b>garage face</b> to a maximum of 4.0 m	
4.13A.2.8.21 Notwithstanding Schedule RM8-8 of this Exception, one accessory building shall be permitted with a maximum floor area of 100 m <sup>2</sup>	
4.13A.2.8.22 All site development plans shall comply with Schedule RM8-8 of this Exception	



Map 57

4.13A.2.9	Excep	tion: RM8-9	Map # 11	0181-20	0118-2017, 18/LPAT Order bruary 15, 0208-2022
		ermitted <b>uses</b> and a ng <b>uses</b> /regulations	pplicable regulations sl shall apply:	hall be as specified	1 for a RM8-14 zone
Regulations					
4.13A.2.9.1	of Cla	uses 4.13A.2.14.110 ned in Exception Ta	in Article 4.1.5.9 and t (1), (2), (3), (6), (7), (9) able 4.13A.2.14 of this	), (10) and (11)	
4.13A.2.9.2	Maxir	num <b>floor space in</b> e	dex		1.2
4.13A.2.9.3	Maxir	num number of <b>dwe</b>	elling units		104
4.13A.2.9.4			nechanical penthouse a	nd/or	11.0 m and 3 storeys
4.13A.2.9.5	at and		of a <b>porch</b> , exclusive of <b>first storey</b> of the <b>bac</b>		2.6 m
4.13A.2.9.6	stairs,		a <b>yard</b> of a <b>porch</b> , inc ssible from the <b>first sto</b> <b>ked townhouse</b> :		
	(1)	front yard			3.8 m
	(2)	rear yard			5.5 m
	(3)	interior side yard	1		3.3 m
4.13A.2.9.7			ide the <b>buildable area</b> er, corbel or other archi		0.6 m
4.13A.2.9.8	Minin	num width of a side	walk		1.5 m
4.13A.2.9.9	Minin	num <b>amenity area</b>			434 m <sup>2</sup>
4.13A.2.9.10	Maxir	num <b>floor area</b> of a	n accessory building		30 m <sup>2</sup>
4.13A.2.9.11	Maxir	num <b>height</b> of an <b>a</b> o	ccessory building		3.0 m
4.13A.2.9.12	Minin	num setback of a <b>pa</b>	rking structure to any	v lot line	2.5 m
4.13A.2.9.13		formers and ventilat ach into a required <b>i</b>	ion shafts shall be pern nterior side yard	nitted to	
4.13A.2.9.14		num number of resid i <b>ng unit</b>	lent <b>parking spaces</b> pe	er three-bedroom	1.4
4.13A.2.9.15	Minin	num number of visit	or <b>parking spaces</b> per	dwelling unit	0.2
4.13A.2.9.16		e development plan xception	s shall comply with Sc	hedule RM8-9 of	




Schedule RM8-9 Map 11

4.13A.2.10	Exception: RM8-10	Map # 07	By-law: 0010-2 0181-2018/LPA 2019 February	AT Order
	one the permitted <b>uses</b> and ap following <b>uses</b> /regulations sl	oplicable regulations shall be a nall apply:	as specified for a	a RM8-14 zone
Regulations				
4.13A.2.10.1	regulations of Clauses 4.13.	contained in Table 2.1.14.1 a A.2.14.11(3) and 4.13A.2.14. le 4.13A.2.14 of this By-law	11(4)	
4.13A.2.10.2	Maximum floor space inde	X		1.5
4.13A.2.10.3	Maximum number of dwell	ing units		148
4.13A.2.10.4	Maximum <b>height</b> : flat roof			14.8 m
4.13A.2.10.5		to a required <b>front yard</b> of a the <b>first storey</b> of a <b>back to</b>	-	3.5 m
4.13A.2.10.6	back to back and/or stacke	, located at the <b>first storey</b> of ed townhouse, may project ou n Schedule RM8-10 of this E	itside the	
4.13A.2.10.7	Maximum projection of a ra <b>first storey</b> of Block 5 and identified on Schedule RM8	outside the <b>buildable area</b>		3.5 m
4.13A.2.10.8		orch or patio, exclusive of sta ey and outside the buildable 3-10 of this Exception		3.4 m
4.13A.2.10.9		alcony, attached to a front w identified on Schedule RM8-		1.5 m
4.13A.2.10.10	Maximum projection outsid window, <b>chimney</b> , or archit	le the <b>buildable area</b> of an av tectural feature	vning,	0.6 m
4.13A.2.10.11		de wall of a <b>back to back</b> and lewalk or an internal walkway		1.4 m
4.13A.2.10.12	Minimum setback of a roof of Blocks 2 and 7	top <b>balcony</b> from all exterior	edges	1.2 m
4.13A.2.10.13	Minimum setback between <b>lot line</b> that is not a <b>street</b>	a surface <b>parking space</b> and	a	1.0 m
4.13A.2.10.14	Minimum setback from a pa finished grade to any lot lin	arking structure completely e	below	2.9 m
4.13A.2.10.15	Minimum width of a <b>condo</b>	minium road/aisle		6.0 m
4.13A.2.10.16	Minimum width of a sidewa	alk		1.8 m
4.13A.2.10.17	Minimum width of an intern	nal walkway		1.5 m
4.13A.2.10.18	Minimum <b>amenity area</b>			5.6 m <sup>2</sup> per welling unit
4.13A.2.10.19	Minimum number of reside <b>dwelling unit</b>	nt <b>parking spaces</b> per two-be	edroom	1.3
4.13A.2.10.20	Minimum number of reside dwelling unit	nt <b>parking spaces</b> per three-b	oedroom	1.4
4.13A.2.10.21	Minimum number of visitor	r <b>parking spaces</b> per <b>dwellin</b>	g unit	0.2
4.13A.2.10.22		hafts and external access stair be permitted to encroach into		


Exception RM8-10 continued on next page

4.13A.2.10	Except	ion: RM8-10	Map # 07	By-law: 0010-2018, 0181-2018/LPAT Order 2019 February 15, 0208-2022			
Exception RM	Exception RM8-10 continued from previous page						
4.13A.2.10.23		All site development plans shall comply with Schedule RM8-10 of this Exception					
Section 37 Fin	ancial (	Contribution					
	as ame	nded, the height and ception shall be pern the owner of the lan an agreement with 7 Mississauga (the Ci	ds zoned RM8-10 enters into The Corporation of the City of ty) for the provision of certa	vided by o of in			
	<ul> <li>facilities, services or matters in return for the increased in height and density of the development;</li> <li>(2) the agreement is registered on title to the lands zoned RM8-10;</li> <li>(3) the owner pays to the City the sum of \$200,000 to be</li> </ul>						
	(5)	used toward the inst stations and complia	allation of bicycle lanes, fitr ance with all other terms and reement referred to in parage	ness I			



Schedule RM8-10 Map 07

4.13A.2.11	Exception: RM8-11	Map # 25	0181-20	0031-2018, 18/LPAT Order bruary 15, 0208-2022, 23
	one the permitted <b>uses</b> and ap following <b>uses</b> /regulations sh		hall be as specific	ed for a RM8-14 zone
Regulations				
4.13A.2.11.1	The regulations of Clauses 4 (10) contained in Exception shall not apply			
4.13A.2.11.2	Maximum floor space inde	x		1.8
4.13A.2.11.3	Maximum number of <b>dwell</b>	ing units		144
4.13A.2.11.4	Maximum <b>height</b> : <b>flat roof</b> , exclusive of any <b>p</b> and/or access stairs	arapet, mechanical p	enthouse	15.0 m and 4 storeys
4.13A.2.11.5	Maximum projection outside the <b>buildable area</b> of a <b>porch</b> , exclusive of stairs, located at or below the <b>first storey</b> of a <b>back to back</b> and/or <b>stacked townhouse</b>			1.8 m
4.13A.2.11.6	Maximum projection outsid window, <b>chimney</b> or other a		of an awning,	0.6 m
4.13A.2.11.7	Maximum projection outsid attached to a <b>back to back</b> a			1.0 m
4.13A.2.11.8	Maximum projection outsid located at or above the <b>first</b> <b>stacked townhouse</b>		-	2.3 m
4.13A.2.11.9	Minimum setback of a <b>park</b> or partially above finished g		icted above	3.0 m
4.13A.2.11.10	Minimum width of a <b>condo</b>	minium road		6.0 m
4.13A.2.11.11	Minimum width of a sidewa	lk		1.5 m
4.13A.2.11.12	Minimum amenity area			201 m <sup>2</sup>
4.13A.2.11.13	Minimum number of resider	nt <b>parking spaces</b> per	unit	1.1
4.13A.2.11.14	Minimum number of visitor	parking spaces per u	init	0.15
4.13A.2.11.15	Stairwells and ventilation sh <b>buildable area</b> , except for i a minimum of 3.0 m from an	n the <b>rear yard</b> , and s	shall be set back	
4.13A.2.11.16	All site development plans s of this Exception	shall comply with Sch	edule RM8-11	





4.13A.2.12	Exception: RM8-12	Map # 11	By-law: 0171-2018, 0181-2018/LPAT Order 2019 February 15					
	In a RM8-12 zone the permitted <b>uses</b> and applicable regulations shall be as specified for a RM8-14 zone except that the following <b>uses</b> /regulations shall apply:							
Regulations								
4.13A.2.12.1	Maximum floor space inde	X	1.0					
4.13A.2.12.2	Minimum front and exterio	or side yard	5.0 m					
4.13A.2.12.3		Minimum setback from a <b>back to back</b> and/or <b>stacked townhouse</b> to a sidewalk						
4.13A.2.12.4	Minimum setback from a <b>p</b> oto a <b>condominium road</b>	orch or deck, inclusive of s	tairs, 1.7 m					
4.13A.2.12.5	Minimum setback from a <b>p</b> oto a sidewalk	orch or deck, inclusive of s	tairs, 0.0 m					
4.13A.2.12.6	Minimum setback from a si stacked townhouse to a con		und/or 0.0 m					
4.13A.2.12.7	Minimum setback of a <b>park</b> completely below finished g	6	0.0 m					
4.13A.2.12.8	Minimum width of a <b>condo</b>	minium road/aisle	6.0 m					
4.13A.2.12.9	Minimum width of a sidewa	alk	1.5 m					
4.13A.2.12.10	Minimum amenity area		100 m <sup>2</sup>					
4.13A.2.12.11	Minimum number of resider dwelling unit	nt <b>parking spaces</b> per one-	bedroom 1.0					

4.13A.2.13	Exception: RM8-13	Map # 14	By-law: 0191-2018, 0181-2018/LPAT Order 2019 February 15, 0070-2022	
	one the permitted <b>uses</b> and ap following <b>uses</b> /regulations sh		be as specified for a RM8-14 zone	
Regulations				
4.13A.2.13.1	The provisions contained in Articles 4.1.1.3 and 4.1.1.4 By-law shall not apply			
4.13A.2.13.2	Maximum floor space inde	X	1.5	
4.13A.2.13.3	Maximum <b>height</b> : flat roof	16.0 m and 3 storeys		
4.13A.2.13.4	The lot line abutting North the front lot line	Service Road shall be dee	emed to be	
4.13A.2.13.5	Minimum setback from the	Minimum setback from the lot line abutting Camilla Road		
4.13A.2.13.6	Maximum encroachment of <b>balcony</b> , landing or awning a required <b>yard</b>	<b>.</b> ·		
4.13A.2.13.7	Minimum setback from a <b>b</b> astacked townhouse to a side		2.0 m	
4.13A.2.13.8	Minimum setback from a <b>p</b> o a <b>condominium road</b> or sid		f stairs, to 2.0 m	
4.13A.2.13.9	Minimum setback from a si stacked townhouse to an ir		x and/or 0.0 m	

Exception RM8-13 continued on next page

4.13A.2.13	Exception: RM8-13	Map # 14	By-law: 0191-2 0181-2018/LPA 2019 February	AT Order	
Exception RM	8-13 continued from previo	ous page			
4.13A.2.13.10       Minimum setback from a side wall of a back to back and/or stacked townhouse to a condominium road and/or a visitor parking space       3.0 m					
4.13A.2.13.11	Minimum setback from a <b>parking structure</b> constructed completely below finished grade to any <b>lot line</b>			1.0 m	
4.13A.2.13.12	Minimum width of a sidewalk			1.5 m	
4.13A.2.13.13	Minimum width of a <b>condo</b>	minium road and/or aisle		6.0 m	
4.13A.2.13.14	Minimum amenity area			250 m <sup>2</sup>	
4.13A.2.13.15	Minimum number of resider dwelling unit	nt <b>parking spaces</b> per two-be	edroom	1.3	
4.13A.2.13.16	Minimum number of resident <b>parking spaces</b> per three-bedroom <b>dwelling unit</b>			1.4	
4.13A.2.13.17	Minimum number of visitor	parking spaces per dwellin	g unit	0.2	
4.13A.2.13.18	"Amenity Area" means an in area provided for the comm	ndoor and/or outdoor recreati unal use of the residents	onal		

4.13A.2.14	Exception: RM8-14	Map # 01, 03, 11, 20, 21, 25, 48E, 56	By-law: 0325-2008, 0190-2014, 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0183-2021
In a RM8-14 zo	one the permitted <b>uses</b> and ap	pplicable regulations shall be a	as specified as follows:
Permitted Use	S		
4.13A.2.14.1	<ul><li>(1) Back to Back Tow</li><li>(2) Stacked Townhous</li></ul>		
Regulations			
4.13A.2.14.2	Minimum lot frontage		30.0 m
4.13A.2.14.3	Minimum floor space inde	X	0.4
4.13A.2.14.4	Maximum floor space inde	X	0.9
4.13A.2.14.5	Maximum <b>height</b> : sloped roof		15.0 m
4.13A.2.14.6	Maximum <b>height</b> : <b>flat roof</b>		13.0 m
4.13A.2.14.7	Minimum front and exterio	or side yard	7.5 m
4.13A.2.14.8	Minimum interior side yar	·d:	4.5 m
	a <b>height</b> between 0. of the <b>interior lot</b> 1	<b>ck</b> and/or <b>stacked townhouse</b> 0 m and 10.0 m and any porti <b>ine</b> abuts a zone permitting and/or <b>semi-detached</b>	
	has a <b>height</b> greater the <b>interior lot line</b>	<b>ck</b> and/or <b>stacked townhouse</b> than 10.0 m and any portion abuts a zone permitting and/or <b>semi-detached</b>	


Exception RM8-14 continued on next page

4.13A.2.14	Excep	tion: RM8-14	Map # 01, 03, 11, 20, 21, 25, 48E, 56	By-law: 0325-2 0190-2014, 017 0181-2018/LPA 2019 February	74-2017, AT Order
Exception RM	[ <b>8-14</b> co	ontinued from previo	us page		
4.13A.2.14.9	Minin	num <b>rear yard</b> :			7.5 m
	(1)	permitting an <b>apart</b> and/or <b>back to back</b>	e, or any portion thereof, abu <b>nent</b> , <b>townhouse</b> , <b>street tow</b> and/or <b>stacked townhouse</b> , ce, Commercial, Employme	<b>vnhouse,</b> , and/or	4.5 m
	(2)	<b>height</b> greater than 1 any portion of the <b>re</b>	<b>k</b> and/or <b>stacked townhous</b> 10.0 m and less than 15.0 m a <b>ear lot line</b> abuts a zone perm and/or <b>semi-detached</b>	and	10.0 m
4.13A.2.14.10	Maxir	num encroachments in	to required yards:		
	(1)	from the first storey	f stairs, located at and access or below the <b>first storey</b> of <b>stacked townhouse</b>		1.8 m
	(2)	an awning, window,	chimney, pilaster or corbel		0.6 m
	(3)	a <b>deck</b> , inclusive of to a rear wall	stairs, <b>balcony</b> or awning, at	tached	2.5 m
	(4)	a wing wall attached stacked townhouse	to a <b>back to back</b> and/or		3.0 m
4.13A.2.14.11	Minin	num internal setbacks:			
	(1)	from a <b>garage face</b> t	to a <b>condominium road</b> or s	sidewalk	6.0 m
	(2)		and/or <b>stacked townhouse</b> , sidewalk or visitor <b>parking</b>		4.5 m
	(3)	from a <b>porch</b> or <b>dec</b> condominium road	<b>k</b> , inclusive of stairs, to a or sidewalk		2.9 m
	(4)	from an awning, win to a <b>condominium r</b>	dow, <b>chimney</b> , pilaster or c <b>coad</b> or sidewalk	orbel	3.9 m
	(5)		<b>back to back</b> and/or to a side wall of another dwe	elling	10.0 m
	(6)		<b>back to back</b> and/or to a rear wall of another dwo	elling	15.0 m
	(7)		<b>back to back</b> and/or to an internal walkway		7.5 m
	(8)		<b>back to back</b> and/or to a side wall of another dwo	elling	3.0 m
	(9)		back to back and/or to an internal walkway		1.5 m
	(10)		<b>back to back</b> and/or to a <b>condominium road</b>		4.5 m
	(11)		<b>back to back</b> and/or to an abutting visitor <b>parkir</b>	ng space	4.5 m
4.13A.2.14.12	Attack	ned garage, parking an	d driveway:		
	(1)	attached garage			Permitted
	(2)	minimum <b>parking s</b>	paces		See Part 3
	(3)	minimum visitor <b>pa</b> l	rking spaces		See Part 3
	(4)	maximum <b>driveway</b>	width		3.0 m

Exception RM8-14 continued on next page

4.13A.2.14	Excep	tion: RM8-14	Map # 01, 03, 11, 20, 21, 25, 48E, 56	0190-20 0181-20	0325-2008, 14, 0174-2017, 18/LPAT Order bruary 15, 0183-2021
Exception RM	[ <b>8-14 c</b> o	ontinued from previo	ous page		
4.13A.2.14.13	Parki	ng areas and parking	g structure setbacks:		
	(1)	minimum setback b	etween a <b>parking space</b> and	a <b>street</b>	4.5 m
	(2)	minimum setback b other <b>lot line</b>	etween a <b>parking space</b> and	any	3.0 m
	(3)		f a <b>parking structure</b> constr bove finished grade to any <b>lo</b> t		6.0 m
	(4)		minimum setback of a <b>parking structure</b> constructed completely below finished grade to any <b>lot line</b>		
4.13A.2.14.14	Cond	ominium roads, aisles and sidewalks:			
	(1)	minimum width of a	a condominium road/aisle		7.0 m
	(2)		a <b>condominium road</b> and/or rallel visitor <b>parking space</b>	aisle	6.0 m
	(3)	<b>condominium roads</b> and <b>aisles</b> are permitted to be shared with abutting lands zoned to permit <b>back to back</b> and/or <b>stacked townhouses</b> , <b>townhouses</b> or <b>apartments</b> , or any combination of dwellings thereof			
	(4)	minimum width of a	a sidewalk		2.0 m
4.13A.2.14.15	Minim	num <b>amenity area</b> an	d landscaped area:		
	(1)	minimum <b>landscap</b>	ed area		40% of <b>lot area</b>
	(2)	minimum <b>amenity</b> :	area		The greater of $5.6 \text{ m}^2$ per <b>dwelling unit</b> or 10% of the site area
	(3)	minimum percentag be provided in one o	e of total required <b>amenity a</b> contiguous area	rea to	50%
4.13A.2.14.16	Acces	sory buildings and st	ructures		Permitted

4.13A.2.15	Except	ion: RM8-15		By-law: LPA 2019 March 2		
except that the	followi	ng uses/regulations sha	blicable regulations shall be as all apply:	s specified for	a RM8-14 zone	
Additional Per						
4.13A.2.15.1	(1)	Townhouse				
Regulations						
4.13A.2.15.2	<ul> <li>The provisions contained in Subsections 2.1.14 and 2.1.30 and the regulations of Sentence 4.13A.2.14.8, Clauses 4.13A.2.14.9(2), 4.13A.2.14.11(1) to 4.13A.2.14.11(4), 4.13A.2.14.11(7), 4.13A.2.14.12(4), 4.13A.2.14.13(2) and 4.13A.2.14.15(3) contained in Exception Table 4.13A.2.14 of this By-law shall not apply</li> </ul>					
4.13A.2.15.3		all of a <b>building</b> or <b>str</b> med to be the front wa	<b>ucture</b> that faces a <b>driveway</b> ll	shall		
4.13A.2.15.4	Minim	um <b>rear yard</b>			6.0 m	
4.13A.2.15.5		num dwelling <b>height</b> - use and/or access stair	flat roof, excluding any mech	hanical	13.0 m	
4.13A.2.15.6	located	Maximum encroachment of a porch or deck, inclusive of stairs,1.8 mlocated at and accessible from the first storey or below thefirst storey, into a required front yard				
4.13A.2.15.7	Minim	Minimum width of a <b>condominium road/aisle</b> 6.0 m				
4.13A.2.15.8	Minim	Minimum width of a sidewalk 1.5 m				
4.13A.2.15.9	Minimum landscaped area for all lands zoned RM8-1523%					
4.13A.2.15.10	Minim	Minimum amenity area5.6 m² per dwelling unit				
4.13A.2.15.11	Stacke	ed Townhouse:				
	(1)	maximum encroachm	nent into a <b>front yard</b> of a <b>ba</b>	lcony	1.6 m	
	(2)	minimum setback fro stacked townhouse t stacked townhouse	om a rear wall of a to a rear wall of another		10.0 m	
	(3)	minimum setback of internal walkway	a side or rear wall to		0.0 m	
	(4)	minimum setback fro stacked townhouse t	om a front wall of a to a <b>condominium road</b>		2.5 m	
	(5)	minimum setback of to a <b>condominium r</b>	a maximum of one <b>garage fa</b> oad	ice	5.0 m	
	(6)	maximum number of <b>parking space</b>	units with one resident		1	
4.13A.2.15.12	Town	nouse:				
	(1)	minimum setback fro condominium road	om a front wall to a		2.5 m	
	(2)	maximum encroachm rear yard	nent of a <b>balcony</b> into a		1.2 m	
	(3)		nent of a <b>porch</b> , <b>deck</b> or <b>balc</b> o a required <b>front yard</b>	ony	1.6 m	
4.13A.2.15.13		e development plans sh Exception	nall comply with Schedule RM	M8-15		



Schedule RM8-15 Map 20