### THE CORPORATION OF THE CITY OF MISSISSAUGA

## BY-LAW NUMBER XXX-2018

A by-law to amend By-law Number 0225-2007, as amended.

WHEREAS pursuant to section 34 and 36 of the *Planning Act, R.S.O.* 1990, c.P.13, as amended, the Council of a local municipality may pass a zoning by-law;

NOW THEREFORE, the Council of the Corporation of the City of Mississauga ENACTS as follows:

- The lands subject to this By-law consist of Part of Lot 1, Concession 1, City of Mississauga, as shown in hatching on Schedule "A" attached hereto, and that Schedule "A" forms part of this By-law
- 2 By-law Number 0225-2007, as amended, being a City of Mississauga Zoning By-law, is amended by deleting Exception Table 4.15.6.42 and substituting the following therefor:

4.15.6.42	Exception: RA5-42	Map #37E	By-law: XXX-2018				
In a RA5-42 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses/regulations shall apply:							
Additional Per	rmitted Uses						
4.15.6.42.1	<ul> <li>(1) Office</li> <li>(2) Medical Office – Restricted</li> <li>(3) Retail Store</li> <li>(4) Financial Institution</li> <li>(5) Restaurant</li> <li>(6) Take-out Restaurant</li> <li>(7) Personal Service Establishment</li> <li>(8) Veterinary Clinic</li> </ul>						
Regulations							
4.15.6.42.2	The provisions of Lines 1.0 an Subsection 2.1.14, Subsection and 15.6 contained in Table 4.	4.1.15 and Lines 13.6, 13	5.4, 15.5				
4.15.6.42.3	For the purposes of this By-law considered one (1) lot	v, all lands zoned RA5-4	2 shall be				
4.15.6.42.4	Maximum number of dwelling	units on all lands zoned	RA5-42 1 606				
4.15.6.42.5	The uses contained in Sentence within a building, structure or long-term care building, retires thereof	part thereof, used for an	apartment,				

4.15.6.42	Exception	on: RA5-	42	Map	#37E	By-l	aw: XXX-2018	
4.15.6.42.6	Minimum total gross floor area – non-residential used for uses identified in Sentence 4.15.6.42.1, in Areas 'A1' and 'A2' identified on Schedule RA5-42 of this Exception shall comply with the following:							
	Area		Minimum Gross Floor Area – Non-Residential					
	1	<b>A</b> 1	$0 \text{ m}^2$					
	1	<b>A2</b>	8 000 m <sup>2</sup>					
4.15.6.42.7			gross floor are stence 4.15.6.4					
4.15.6.42.8		and medi he fifth s	cal office – re torey	stricte	d shall not b	e permitted		
4.15.6.42.9	and per		ncial institution vice establish y					
4.15.6.42.10	buildin first sto 'A2' ab	g or retire orey within outting W	areas accessor ement building in 10.0m of th atergarden Dr hedule RA5-4	g, shal e lot li rive an	l not be peri nes for the p d Hurontari	mitted on the cortions of A o Street		
4.15.6.42.11	Minimu RA5-42		space index –	apartn	nent zone oi	all lands zo	ned 2.9	
4.15.6.42.12	Maxim RA5-42		space index –	apartı	nent zone o	n all lands zo	oned 8.23	
4.15.6.42.13	of all b	uildings a dule RA:	naximum build and structures 5-42 of this Ex	in Are	eas 'A1' and	'A2' identif		
	Area	Minim Buildi Heigl	ng Build	ing	Minimum Height of Podium		of	
	A1	10 storey	ys 26 store	ys	2 storeys	6 storeys		
	A2	20 storey	ys 50 store	ys	1 storeys	10 storeys		
4.15.6.42.14	Minimum setback from a parking structure completely below finished grade to a street line 0.0 m							
4.15.6.42.15	A building shall be located at the build-to-line identified on Schedule RA5-42 of this Exception							
4.15.6.42.16	Notwithstanding the provisions of Sentence 4.15.6.42.15, a maximum of 76% of the length of a streetwall may be set back beyond the build-to-line identified on Schedule RA5-42 of this Exception, up to a maximum of 7.5 m							

4.15.6.42	Exception: RA5-42	Map #37E	By-law: 2	XXX-2018			
4.15.6.42.17	Notwithstanding the provisions of Sentences 4.15.6.42.15 and 4.15.6.42.16, a maximum of 15% of the length of a streetwall may be set back beyond the build-to-line identified on Schedule RA5-43 of this Exception						
4.15.6.42.18	An at-grade driveway, aisle, pa not be permitted between a wa thereof, and the lot line abuttin	ll of a building, structure					
4.15.6.42.19	Minimum number of resident p and two-bedroom condominium			1.1			
4.15.6.42.20	Minimum number of resident p condominium apartment dwell		bedroom	1.2			
4.15.6.42.21	Minimum number of visitor pa apartment dwelling unit	rking spaces per condon	ninium	0.15			
4.15.6.42.22	For the visitor component, a sh used for the calculation of requ parking in accordance with the	ired visitor/non-resident					
	the greater of						
	0.15 visitor spaces per unit						
	or						
	Parking required for all non-re and take-out restaurant	sidential uses, except res	taurant				
	Restaurant and take-out restaurabove shared parking arrangen accordance with applicable reg 3.1.2.2 of this By-law	nent and shall be provide	d in				
4.15.6.42.23	Minimum number of parking s  – non-residential for office, me store, financial institution, and	edical office – restricted,	retail	4.3			
4.15.6.42.24	Minimum landscaped area			25% of lot area			
4.15.6.42.25	Main front entrances shall face	e a street					
4.15.6.42.26	Minimum above grade separat portion of the building above s on Schedule RA5-42 of this Ex	ix (6) storeys except as i		28.0 m			
4.15.6.42.27	Notwithstanding the location a component of the development 42 of this Exception, the maximum the exterior wall of a tower	t as identified on Schedu		2.5 m			
4.15.6.42.28	Maximum projection of a cano of a podium	ppy from the exterior buil	ding wall	3.0 m			

4.15.6.42	Exception: RA5-42	Map #37E	By-law: XXX-2018			
4.15.6.42.29	Maximum projection of archite from the exterior building wall	· · · · · · · · · · · · · · · · · · ·	l cornices 2.5 m			
4.15.6.42.30	"Podium" means the base of a building, structure or part thereof located at or above established grade, that projects from the building					
4.15.6.42.31	"Height of a Podium" means the vertical distance between the established grade and the highest point of the roof surface of the podium					
4.15.6.42.32	All site development plans shall comply with Schedule RA5-42 of this Exception					
Holding Provi	Holding Provision					
	The holding symbol H is to be removed from the whole or any parts of the lands zoned H-RA5-42.					

- 3 Map Number 37E of Schedule "B" to By-law Number 0225-2007, as amended, being a City of Mississauga Zoning By-law, is amended to remove the holding symbol H from the whole part of the lands zoned H-RA5-42, and to include different area labels as shown in in Schedule "B"
- 4 By-law Number 0225-2007, as amended, being a City of Mississauga Zoning By-law, is amended by deleting Exception Table 4.15.6.43 and substituting the following therefor:

4.15.6.43	Exception: RA5-43	Map #37E	By-law: XXX-2018					
In a RA5-43 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses/regulations shall apply:								
Additional Pe	ermitted Uses							
4.15.6.43.1	<ol> <li>(1) Retail Store</li> <li>(2) Restaurant</li> <li>(3) Take-out Restaurant</li> <li>(4) Personal Service Establishment</li> <li>(5) Financial Institution</li> <li>(6) Medical Office – Restricted</li> <li>(7) Office</li> <li>(8) Veterinary Clinic</li> </ol>							
Regulations								
4.15.6.43.2	The provisions of Lines 1.0 and Article 2.1.2.1, Subsection 2.1.1 12.1 to 12.4, 13.6, 15.5 and 15.5 By-law shall not apply	14, Subsection 4.1.15 and	d Lines					
4.15.6.43.3	For the purposes of this By-law considered one (1) lot	, all lands zoned RA5-43	shall be					

4.15.6.43	Excepti	on: RA5-	-43		Ma	p #37E		By-law:	: XXX-2018
4.15.6.43.4	The uses contained in Sentence 4.15.6.43.1 shall only be permitted within a building, structure or part thereof, used for an apartment, long-term care building, retirement building, or any combination thereof								
4.15.6.43.5	Minimum gross floor area – non-residential used for uses identified in Sentence 4.15.6.43.1 in Areas 'A1' and 'A2' identified on Schedule RA5-43 of this Exception shall comply with the following:								
	Area		Mini	imum Gro Non-Re		oor Area – ntial			
	A	<b>A</b> 1	230 r	$n^2$					
	A	<b>A</b> 2	2 000	) m <sup>2</sup>					
4.15.6.43.6						n-residentia n all lands z			10 200 m <sup>2</sup>
4.15.6.43.7		ontained i he third s		tence 4.15	5.6.4	3.1 shall not	be pern	nitted	
4.15.6.43.8	be pern	nitted on	the fir	st storey o	of bu	ement dwelli ildings loca of this Exc	ted with		t
4.15.6.43.9	Indoor amenity areas accessory to an apartment, long- term care building or retirement building, shall not be permitted on the first storey of building located within 10.0m of the lot line abutting Hurontario Street identified on Schedule RA5-43 of this Exception								
4.15.6.43.10		Minimum floor space index – apartment zone on all lands zoned 2.9 RA5-43						2.9	
4.15.6.43.11	Maximum floor space index – apartment zone on all lands zoned 6.99 RA5-43						6.99		
4.15.6.43.12	Maxim	um numb	er of	dwelling ι	ınits	on all lands	zoned l	RA5-43	1 403
4.15.6.43.13	Minimum and maximum building height and height of a podium of all buildings and structures in Areas 'A1' and 'A2' identified on Schedule RA5-43 of this Exception shall comply with the following:								
	Area Minimum Maximum Minimum Maximum Building Building Height of Height Of Height Podium  Height Height Podium								
	A1	5 storeys	;	34 storeys	;	1 storeys	4 sto	reys	
	A2	10 storey	/S	50 storeys	3	3 storeys	6 sto	reys	
4.15.6.43.14									

4.15.6.43	Exception: RA5-43	Map #37E	By-law: X	XX-2018
4.15.6.43.15	Minimum setback to a private r of this Exception	oad identified on Schedu	le RA5-43	3.0 m
4.15.6.43.16	Minimum setback from a parking finished grade to a street line	ng structure completely b	elow	0.0 m
4.15.6.43.17	A building shall be located at the 'A1' and 'A2' identified on Sch			
4.15.6.43.18	Notwithstanding the provisions maximum of 37% of the length beyond the build-to-line identification, up to a maximum of	of a streetwall may be seled on Schedule RA5-43	et back	
4.15.6.43.19	Notwithstanding the provisions 4.15.6.43.18, a maximum of 6% be set back beyond the build-to-43 of this Exception	of the length of a street	wall may	
4.15.6.43.20	Maximum encroachment into a canopy located above the first s pilaster, cornice, balustrade or r	torey, sunroom, window	, chimney,	2.5 m
4.15.6.43.21	Maximum projection of a balco first storey measured from the o building from which the balcon	outermost face or faces of		2.5 m
4.15.6.43.22	An at-grade driveway, aisle, par not be permitted between a wall thereof, and the lot line abutting	of a building, structure		
4.15.6.43.23	No internal road or driveway ac Circle	ccess shall be permitted to	o Salishan	
4.15.6.43.24	Minimum number of resident pa two-bedroom condominium apa		droom and	1.1
4.15.6.43.25	Minimum number of resident pa condominium apartment dwelling		edroom	1.2
4.15.6.43.26	Minimum number of visitor par apartment dwelling unit	king spaces per condom	inium	0.15


4.15.6.43	Exception: RA5-43	Map #37E	By-law: X	XX-2018		
4.15.6.43.27	For the visitor component, a shared parking arrangement may be used for the calculation of required visitor/non-residential parking in accordance with the following:					
	the greater of 0.15 visitor space	s per unit				
	or					
	Parking required for all non-restake-out restaurant	idential uses, except resta	aurant and			
	Restaurant and take-out restaurabove shared parking arrangem accordance with applicable regroof this By-law	ent and shall be provided	l in			
4.15.6.43.28	Minimum number of parking sp non-residential for uses identific Clauses 4.15.6.43.1(2) and 4.15	ed in Sentence 4.15.6.43.		4.3		
4.15.6.43.30	Minimum landscaped area			25% of lot area		
4.15.6.43.31	Main front entrance of building identified on Schedule RA5-43 street					
4.15.6.43.32	Minimum above grade separation of the building above te		that	26.5 m		
4.15.6.43.33	"Podium" means the base of a babove established grade, that pr	•	ted at or			
4.15.6.43.34	"Height of a Podium" means the established grade and the highe podium					
4.15.6.43.35	"Vertical Depth" means the dis- level of the lands measured to the below grade parking structure		•			
4.15.6.43.36	All site development plans shal this Exception	l comply with Schedule I	RA5-43 of			
Holding Provi						
	The holding symbol H is to be a parts of the lands zoned H-RA5 37E of Schedule B contained in amended, upon satisfaction of t	-43 by further amendment Part 13 of this By-law, a	nt to Map as			
		nt is in place with the Cit ,000 public art contributi identified on Schedule F	on to be			


5	Map Number 37E of Schedule "B" to By law Number 0225 2007, as amended, being a City of
	Mississauga Zoning By law, is amended by changing thereon from "RA5 43" to "H RA5 43", the
	zoning of Part of Lot 1, Concession 1, West of Hurontario Street, in the City of Mississauga,
	PROVIDED HOWEVER THAT the "H RA5 43" zoning shall only apply to the lands which are
	shown on the attached Schedule "A", which is deemed to be an integral part of this By law,
	outlined in the heaviest broken line with the "H RA5 43" zoning indicated thereon.

6	This By-law shall not come into force until Mississauga Official Plan Amendment Number XX is
	in full force and effect.

ENACTED and PASSED this	day of	2018.	
			MANOR
			MAYOR
			CLERK

# SCHEDULE "A" (EXCEPTION SCHEDULE RA5-42 ZONE)





## APPENDIX "A" TO BY-LAW NUMBER XXX-2018

## **Explanation of the Purpose and Effect of the By-law**

The purpose of this By-law is to permit site intensification of the property known as Part of Lot 1, Concession 1, West of Hurontario Street, City of Mississauga, Regional Municipality of Peel.

This By-law amends the zoning of the property outlines on the attached Schedule "A" from "H-RA5-42" to "RA5-42" and from "H-RA5-43" to "RA5-43".

This By-law revises Exception Table 4.15.6.42 (RA5-42) and Exception Table 4.15.6.43 (RA5-43) of Zoning By-law 0225-2007 to allow for greater intensification.

The "RA5-42" zone in By-law 0225-2007 permits a maximum of 1,121 dwelling units, a maximum building height of 37-storeys and a maximum Floor Space Index (FSI) of 7.11. The applicable regulations of the RA5-42 zone are amended, as part of this By-law, to permit a maximum of 1,606 dwelling units, a maximum building height of 50-storeys and a maximum site density of 8.23 FSI.

The "RA5-43" zone in By-law 0225-2007 permits a maximum of 748 dwelling units, a maximum building height of 25-storeys and a maximum density of 5.19 FSI. The applicable regulations of the RA5-43 zone are amended, as part of this By-law, to permit a maximum of 1,403 dwelling units, a maximum building height of 50-storeys and a maximum site density of 6.99 FSI.

#### **Location of the Lands Affected**

The lands affected by this Amendment are located within the northwest quadrant of Hurontario Street and Eglinton Avenue West in the City of Mississauga, as shown on the attached Map designated as Schedule "A".