


1:1250

P-RE-333-04






AMENITY SPACE COUNT



Architect - IBI Group Civil Eng -Mech Eng -

Interior -

#### LEGEND - PAVING AND WALLS



Unilock Standard Pavers -100x200mm in three alternating colours Patio Pavers - 600x600mm

Feature Unit Paving - Running Bond with Alternating unit size




Armourstone Wall Privacy Screen


Building Entrance



Light Standard



- GENERAL NOTES
- 1. All dimensions in millimetres (mm) 2. Verify all dimensions
- 3. Do not scale drawings
- 4. Check drawings against specifications
- 5. Use the latest revised drawings only 6. Report any discrepancies to the Landscape Architect before
- proceeding 7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work




Amenity Space Count (2738 sqm)

Landscaped Area Count (10,814 sqm)

2 1	JUN.07.2018 AUG.16.2017	Issue for Rezoning Concept Design	LLP AAM
REV	DATE	DESCRIPTION	INITIAL
Tre	e Protecti	ion Plan	
	KED BY: JVV	7.2018	L-100
MISSI	80 Have Sauga, on tall caps	venwood	$d \operatorname{Dr}_{(m_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_$

1:400





Architect - IBI Group Civil Eng -Mech Eng -

Interior -

# LEGEND - PAVING AND WALLS

Unilock Standard Pavers -100x200mm in three alternating colours Patio Pavers - 600x600mm

with Alternating unit size Armourstone Wall

Privacy Screen

Building Entrance



Light Standard 

P Feature Unit Paving - Running Bond • } } • ; } • ;



LEGEND - PLANTING

Proposed Deciduous Tree

Proposed Evergreen Tree

Proposed Hedge

Proposed Shrub Area

Existing Deciduous Tree

Existing Evergreen Tree

to be retained

to be retained


GENERAL NOTES 1. All dimensions in millimetres (mm)

- 2. Verify all dimensions
- 3. Do not scale drawings
- 4. Check drawings against specifications 5. Use the latest revised drawings only
- 6. Report any discrepancies to the Landscape Architect before proceeding
- 7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work

2 1	JUN.07.20 AUG.16.2		LLP AAM
REV	DATE	DESCRIPTION	INITIAL
Soi	uth Bui	lding Ground La	ndscape Plan
	KED BY: J	AM /V un.07.2018	L-101

1:200

MISSISSAUGA, ON CLIENT ALL CAPS



# EAST BUILDING GROUND LANDSCAPE PLAN

**1 E**, L-102 1:100



Architect - IBI Group Civil Eng -Mech Eng -

Interior -

#### LEGEND - PAVING AND WALLS

Unilock Standard Pavers -100x200mm in three alternating colours Patio Pavers - 600x600mm

Feature Unit Paving - Running Bond with Alternating unit size

Armourstone Wall


Privacy Screen



Building Entrance

-<del>O</del>LS


Light Standard



## GENERAL NOTES

- 1. All dimensions in millimetres (mm) 2. Verify all dimensions
- 3. Do not scale drawings
- 4. Check drawings against specifications
- 5. Use the latest revised drawings only 6. Report any discrepancies to the Landscape Architect before
- proceeding 7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work

2 1	JUN.07.2 AUG.16.		Rezoning Design	LLP AAM
REV	DATE	DESCRIP	ΓΙΟΝ	INITIAL
Eas	st Buil	ding Grou	nd Lan	dscape Plan
	KED BY:	AAM JVV Jun.07.2018		L-102
MISSI CLIEN	SSAUGA, O T ALL CAPS		vood	Dr
LAD-3 JUL.1	33 3.2017			1:200






P-RE-333-03



Architect - IBI Group Civil Eng -Mech Eng -

Interior -

#### LEGEND - PAVING AND WALLS



100x200mm in three alternating colours Patio Pavers - 600x600mm

Unilock Standard Pavers -

Armourstone Wall


Privacy Screen

Feature Unit Paving - Running Bond with Alternating unit size



Building Entrance

- Light Standard




# GENERAL NOTES

- All dimensions in millimetres (mm)
  Verify all dimensions
- 3. Do not scale drawings
- 4. Check drawings against specifications
- Use the latest revised drawings only
  Report any discrepancies to the Landscape Architect before
- proceeding7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work

2 1	JUN.07.2018 AUG.16.2017	Issue for Rezoning Concept Design	LLP AAM
REV	DATE	DESCRIPTION	INITIAL
Noi	rth Buildi	ng Ground La	andscape Plan
	KED BY: JVV	)7.2018	L-103
MISSI	80 Ha ssauga, on t all caps	venwood	$d \operatorname{Dr}_{(m_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_{n_$

1:200





Architect - IBI Group Civil Eng -Mech Eng -

Interior -

#### LEGEND - PAVING AND WALLS

Unilock Standard Pavers -100x200mm in three alternating colours

Patio Pavers - 600x600mm Feature Unit Paving - Running Bond with Alternating unit size


Armourstone Wall

Privacy Screen

Building Entrance



Light Standard




#### **GENERAL NOTES**


- 1. All dimensions in millimetres (mm)
- Verify all dimensions
  Do not scale drawings
- 4. Check drawings against specifications
- 5. Use the latest revised drawings only
- 6. Report any discrepancies to the Landscape Architect before proceeding
- 7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work

2 1	JUN.07 AUG.16		Issue for Rezoning Concept Design		LLP AAM
REV	DATE		DESCRIPTION		INITIAL
3rd	Floo	r Ter	race Lands	cape Plan	
	'N BY: KED BY: DATE:	AAM JVV Jun.07	.2018	L-20	0
MISSI	<b>80</b> ssauga, t all caf	ON	/enwood	d Dr Nr.	

1:200







PRUNE PLANTS A MINIMUM AMOUNT TO REMOVE DEAD OR DAMAGED MEMBERS MAINTAIN THE NATURAL CHARACTER AND SHAPE OF THE PLANT SPECIES

329343.01-01

SET SHRUB AT GRADE ORIGINALLY GROWN IN NURSERY (WITH ALLOWANCE FOR SETTLING)


-75mm MULCH AS SPECIFIED

-100mm DEPTH SOIL SAUCER FINISHED GRADE

\_\_\_\_B&B - REMOVE TOP 1/3 OF BURLAP POTTED - REMOVE POT PLANTING SOIL MIXTURE AS SPECIFIED. MINIMUM DIMENSIONS AROUND ROOT BALL

TO BE 150mm. BACKFILL SOIL TO BE TAMPED FIRMLY INTO PLACE TO ELIMINATE AIR POCKETS AND PREVENT SETTLEMENT. WATER SOIL MIXTURE IMMEDIATELY AFTER PLANTING.

SCARIFY SURFACE OF SUBSOIL AT SIDES AND BOTTOM OF BED PRIOR TO PLANTING PLANTING METHOD ILLUSTRATED SHALL APPLY EQUALLY TO BARE ROOT AND POTTING STOCK.






- FOR PLANTING ADJACENT TO HARD

SURFACES, LEAVE 25mm CLEAR

329343.01-10

L-30 N.T.S.



FROM TOP OF ROOTBALL.

#### PRUNE PLANTS A MINIMUM AMOUNT TO REMOVE DEAD OR INJURED MEMBERS. MAINTAIN THE NATURAL CHARACTER AND SHAPE OF THE SPECIES. DO NOT CUT A LEADER BRANCH.

-T-BARS, 600mm, 3 PER PLANT LOOP SPECIFIED GUYWIRES AROUND MAIN STEM WHERE IN CONTACT WITH PLANT WIRE TO BE ENCASED IN 12mm 0 BLACK SPACED EQUIDISTANT AROUND PLANT & 600mm OUTSIDE PLANTING PIT.

TREE GUYING TO BE DONE SO AS TO CAUSE MINIMAL DISTURBANCE TO BRANCHES. MAINTAIN ORIGINAL GRADE AT TREE BASE OR SET SLIGHTLY HIGHER TO ALLOW FOR SETTLEMENT. 

-FORM SAUCER AROUND ROOT BALL WITH PLANTING SOIL. 

-CUT AND REMOVE BURLAP FROM TOP 1/3 OF ROOT BALL.

PLANTING SOIL MIXTURE AS SPECIFIED. MINIMUM DIMENSIONS AROUND ROOT BALL TO BE 300mm.

BACKFILL SOIL TO BE TAMPED FIRMLY IN PLACE TO ELIMINATE AIR POCKETS AND PREVENT SETTLEMENT.

FILTER CLOTH OVER DRAINAGE LAYER ON PROTECTION - BOARD OVER WATERPROOF MEMBRANE ON STRUCTURAL SLAB - REFER TO ARCHITECTURAL DRAWINGS. REMOVE ALL GUY WIRES TWO YEARS PLANTING. CUT AND REMOVE ALL BURLAP ROPES AND CONNECTORS

CONIFEROUS TREE PLANTING ON SLAB

329343.01-04



Toronto ON M8V 1R1 T. 416-840-0039 www.ladesign.ca


Architect - IBI Group Civil Eng -Mech Eng -

Interior -


### GENERAL NOTES

- 1. All dimensions in millimetres (mm)
- 2. Verify all dimensions 3. Do not scale drawings
- 4. Check drawings against specifications
- 5. Use the latest revised drawings only 6. Report any discrepancies to the Landscape Architect before
- proceeding 7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work

2 1	JUN.07. AUG.16		Issue for Rezo Concept Desig	0		LLP AAM
REV	DATE		DESCRIPTION			INITIAL
Pla	nting	Detai	ls			
		AAM JVV Jun.07.2	2018	L	-3(	)1
MISSI	<b>180</b> ssauga, ( t all cap	DN	enwo	od Dr		
LAD-3 JUL.1	333 3.2017				SCALE AS	NOTED







– DUOFLEX S.L. (OR APPROVED EQUAL POLYSULPHIDE SEALANT). COLOUR TO MATCH CONCRETE -CONTRACTOR TO SUBMIT SAMPLE. 6mm [1/4"] -THICK PLASTIC SNAPCAP WITH - FIBREBOARD OR

- 6mm [1/4"]-THICK FLEXIBLE FOAM EXPANSION JOINT FILLER - CLOSED CELL EXPANDED PLASTIC FOAM (FLEX/FOAM OR APPROVED ALTERNATE) PROVIDE EXPANSION JOINTS:
- BETWEEN POURS • AT CHANGE IN MATERIALS
- AT EDGES ABUTTING STRUCTURES AND
- OTHER FIXED ELEMENTS

321313.01-20

$\circ \circ $
<u>ക</u> ൽൽ
محصم محمومهم محمد في محموم محمومهم محمومهم محمو
$\omega$ $\omega$ $\omega$ $\omega$ $\omega$ $\omega$
O $O$ $O$ $O$ $O$ $O$ $O$
<u>_ () ~~~~~~~~~~~~~~~~~~~~~~~~</u> ()
$\beta \sim 0$ $\phi \circ \phi \circ \phi \circ \delta \phi \circ \phi \circ \delta \circ \phi \circ \phi \circ \phi \circ \delta \phi$
80 80 00 00 00 00 00 00 00 00 00 00 00 0

ON SLAB

ON GRADE

321401-03

landscape ar 52 Mimico Avenue, Studio B Toronto ON M8V 1R1 T. 416-840-0039 www.ladesign.ca

Architect - IBI Group Civil Eng -Mech Eng -

Interior -

# GENERAL NOTES

- 1. All dimensions in millimetres (mm)
- 2. Verify all dimensions 3. Do not scale drawings
- 4. Check drawings against specifications
- 5. Use the latest revised drawings only 6. Report any discrepancies to the Landscape Architect before proceeding
- 7. Drawings and specifications are the property of the Landscape Architect, and must be returned upon completion of the work

2 1	JUN.07 AUG.1	7.2018 6.2017	Issue for Rezoni Concept Design	0	LLP AAM
REV	DATE		DESCRIPTION		INITIAL
Pav	/ing l	Detail	S		
	'N BY: KED BY: DATE:	AAM JVV Jun.07	.2018		L-300
MISSI	<b>180</b> ssauga, t all ca	ON	/enwoo	bc	Dr
LAD-3	33				

JUL.13.2017

SCALE AS NOTED