

**Tree Inventory and Preservation Plan Report
91 and 131 Eglinton Avenue East
Mississauga, Ontario**

prepared for

**Terraplan Landscape Architects
20 Champlain Boulevard, Suite 102
Toronto, Ontario
M3H 2Z1**

prepared by



146 Lakeshore Road West
PO Box 1267 Lakeshore W PO
Oakville ON L6K 0B3
t: 289.837.1871 f: 866.693.6390
e: admin@kuntzforestry.ca

21 May 2019

KUNTZ FORESTRY CONSULTING Inc. Project P1889

Introduction

Kuntz Forestry Consulting Inc. was retained by Terraplan Landscape Architects to complete a Tree Inventory and Preservation Plan Report for a development application for a property situated at 91 and 131 Eglinton Avenue East in Mississauga, Ontario.

The work plan for this study included the following:

- Prepare field mapping (overlay site plan on topographic survey);
- Prepare inventory of all tree resources 15 cm in diameter and larger situated on subject property, within the road allowance and on neighbouring property within 6 m of the subject property;
- Evaluate potential tree saving opportunities based on proposed site plans; and,
- Document the findings in a Tree Inventory and Preservation Plan report.

Field assessments were conducted on 11 July 2018 and 8 May 2019. All tree resources included in the inventory were visually assessed for condition utilizing the following parameters:

Tree # - Number assigned to each tree which corresponds to Table 1 and Figure 1.

Species - common and botanical names provided in the inventory table (Table 1).

DBH - diameter (centimeters) at breast height, measured at 1.4 m above the ground.

Condition - condition of tree considering trunk integrity, crown structure and crown vigor. Condition ratings include poor (P), fair (F) and good (G).

Crown Dieback – the percentage of dead branches located in the crown.

Dripline – The distance from the trunk to the edge of the live crown.

Comments - additional relevant detail.

Trees included in the inventory were located by topographic survey provided and identified with numbers 1-184.

Existing Site Conditions

The subject site is occupied by a vacant one storey residential dwelling surrounded by manicured lawn and active agricultural fields. The property is bound by residential development to the north, a vacant property to the east, Eglinton Avenue to the south, and commercial development to the west.

The tree inventory documented a total of 184 trees located on subject property, on neighbouring property within 6 m and within the road allowance. The trees included in the inventory appear to be dominated by landscape plantings with some naturally occurring trees. Refer to Figure 1 for tree locations and Table 1 for the complete tree inventory.

Tree resources included in the inventory are comprised of Manitoba Maple (*Acer negundo*), Norway Maple (*Acer platanoides*), Silver Maple (*Acer saccharinum*), Sugar Maple (*Acer saccharum*), Catalpa species (*Catalpa sp.*), Green Ash (*Fraxinus pennsylvanica*), Honey Locust variety (*Gleditsia triacanthos var. inermis 'shademaster'*), Black Walnut (*Juglans nigra*), English Walnut (*Juglans regia*), Apple species (*Malus sp.*), White Mulberry (*Morus alba*), Blue Spruce (*Picea pungens*), White Spruce (*Picea glauca*), Red Pine (*Pinus resinosa*), White Pine (*Pinus strobus*), Largetooth Aspen (*Populus grandidentata*), Trembling Aspen (*Populus tremuloides*), Sweet Cherry (*Prunus avium*),

Pear species (*Pyrus sp.*), Pussy Willow (*Salix discolor*) Eastern White Cedar (*Thuja occidentalis*), Basswood (*Tilia americana*), Little-leaf Linden (*Tilia cordata*), and White Elm (*Ulmus americana*).

Proposed Development

The proposed development is comprised of an apartment complex including 6 towers 30-45 stories tall. A future public road is also proposed to traverse through the proposed development in a north to south direction.

Discussion

The following sections provide a discussion and analysis of development impacts, tree removal and tree preservation relative to the proposed development.

Development Impacts

During the preservation planning analysis the dripline was used to assess the impacts to tree resources. Where encroachment within the dripline is appreciable tree removal will be required.

Tree Removals

The removal of 132 trees will be required to accommodate the proposed development. Required removals include Trees 1-3, 16, 18, 25, 27-29 and 31-150, 165, 169, and 184. All trees required for removal are protected by the City of Mississauga Tree By-law; a permit from the City is required prior to their removal. Trees 1-3 and 150 are partially or fully located on the neighbouring property; written consent from the respective neighbouring property owner will be required prior to the removal of any trees situated partially or fully on neighbouring property.

Tree Preservation

The preservation of Trees 4-15, 17, 19-24, 26, 30, 151-164, 166-168, and 170-183 will be possible with appropriate tree protection measures. Tree protection measures will have to be implemented prior to the commencement of the demolition phase to ensure the trees identified for preservation are not impacted by the proposed development.

Encroachment within the driplines of some trees will be required to accommodate the proposed development. Light to moderate encroachment will be required within the dripline of Trees 4-10, 12-15, 17, 19-24, 151-164, 166, 168, and 170-181 to accommodate the proposed underground parking, sidewalk and retaining wall. If any excavating is required to accommodate the proposed side walk/grading, the area of encroachment must be excavated using air spade methods to ensure roots are not damaged by construction. Any roots that are exposed during air spading must be pruned by a Certified Arborist in accordance with Good Arboricultural Practice.

Tree protection fence must be installed at the dripline or as outlined on Figure 1. Refer to Figure 1 for the locations of prescribed tree protection fence, the tree protection fence detail and additional tree protection plan notes.

Summary and Recommendations

Kuntz Forestry Consulting Inc. was retained by Terraplan Landscape Architects to complete a Tree Inventory and Preservation Plan Report for a development application for a property situated at 91 and 131 Eglinton Avenue East in Mississauga, Ontario. A tree inventory was conducted and reviewed in the context of the proposed site plan.

The findings of the study indicate a total of 184 Trees situated on subject property, on neighbouring property and within the road allowance. The removal of 132 Trees will be required to accommodate the proposed development. The remaining 52 trees can be saved provided appropriate tree protection measures are installed prior to the development.

The following recommendations are suggested to minimize impacts to trees identified for preservation. Refer to Figure 1 for the location of tree preservation fence, further Tree Protection Plan Notes and the tree preservation fence detail.

- Tree protection barriers and fencing should be installed at locations as prescribed on Figure 1. All tree protection measures should follow the guidelines as set out in the tree preservation plan notes and the tree preservation fencing detail on Figure 1.
- Tree protection measures are to be implemented prior to the demolition phase to ensure the trees identified for preservation are not impacted by the development.
- Branches and roots that extend beyond prescribed tree protection zones that require pruning must be pruned by a qualified Arborist or other tree professional as approved by the City of Mississauga. All pruning of tree roots and branches must be in accordance with good arboricultural standards.
- Site visits, pre, during and post construction is recommended by either a certified consulting arborist (I.S.A.) or registered professional forester (R.P.F.) to ensure proper utilization of tree protection barriers. Trees should also be inspected for damage incurred during construction to ensure appropriate pruning or other measures are implemented.

Respectfully Submitted,
Kuntz Forestry Consulting Inc.

Jeremy Jackson

Jeremy Jackson H.B.Sc.
Associate
ISA Certified Arborist #ON-1089A
GIS Analyst

Kaho Hayashi

Kaho Hayashi, B.Sc., M.Sc.F.
Associate Forest Ecologist
ISA Certified Arborist #ON-2153A

Table 1. Tree Inventory

Location: 91 and 131 Eglinton Ave. E. Mississauga Date: 11 July 2018, revisited 8 May 2019 Surveyors: JJJ, KH

Tree #	Common Name	Scientific Name	DBH	TI	CS	CV	DL	CDB	Comments	Action
1	Apple species	<i>Malus sp.</i>	~15	G	G	G	3			Remove
2	Honey Locust (shademaster)	<i>Gleditsia triacanthos var inermis 'Shademaster'</i>	~18	G	G	G	3			Remove
3	Largetooth Aspen	<i>Populus grandidentata</i>	~15, 14	FG	G	G	4		Union at 0.3 m	Remove
4	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
5	Norway Maple	<i>Acer platanoides</i>	~20	G	G	G	4			Preserve
6	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
7	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
8	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
9	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
10	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
11	Norway Maple	<i>Acer platanoides</i>	~20	G	G	G	3			Preserve
12	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
13	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
14	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
15	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
16	Trembling Aspen	<i>Populus tremuloides</i>	26	G	G	G	4			Remove
17	Norway Maple	<i>Acer platanoides</i>	~20	G	G	G	4			Preserve
18	Trembling Aspen	<i>Populus tremuloides</i>	25	G	G	FG	4			Remove
19	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
20	Norway Maple	<i>Acer platanoides</i>	~20	G	G	G	4			Preserve
21	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
22	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4			Preserve
23	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4		Tar spot (L)	Preserve
24	Norway Maple	<i>Acer platanoides</i>	~25	G	G	G	4		Tar spot (L)	Preserve
25	Norway Maple	<i>Acer platanoides</i>	~15	G	G	G	4		Tar spot (L)	Remove
26	Norway Maple	<i>Acer platanoides</i>	~20	G	G	G	3		Tar spot (L)	Preserve
27	Basswood	<i>Tilia americana</i>	~40, 38, 45, 40	FG	G	G	6		3 additional stems removed at flare	Remove
28	White Mulberry	<i>Morus alba</i>	44, 23, 30	FG	G	G	4		Unions at ground and 1.6 m	Remove
29	Black Walnut	<i>Juglans nigra</i>	~17	G	G	G	3		Tar spot (L)	Remove
30	Norway Maple	<i>Acer platanoides</i>	~20	G	G	G	3		Tar spot (L)	Preserve
31	Norway Maple	<i>Acer platanoides</i>	~16, 13	G	G	G	4		Tar spot (L)	Remove
32	Blue Spruce	<i>Picea pungens</i>	46	G	G	G	3			Remove
33	Black Walnut	<i>Juglans nigra</i>	20, 21	G	G	G	4		Union at ground	Remove
34	Black Walnut	<i>Juglans nigra</i>	35	G	G	G	5		Stem wound (L)	Remove
35	Black Walnut	<i>Juglans nigra</i>	32	G	G	FG	4			Remove
36	Norway Spruce	<i>Picea abies</i>	46	F	P	P	3	80	Stem wounds (H) -> missing bark	Remove
37	Norway Spruce	<i>Picea abies</i>	43	FG	FG	FG	4		Stem wounds (L)	Remove
38	Norway Spruce	<i>Picea abies</i>	29	G	F	F	4	20		Remove
39	Norway Spruce	<i>Picea abies</i>	39	G	F	F	4	20		Remove
40	Norway Spruce	<i>Picea abies</i>	39	G	FG	FG	5	10		Remove
41	Norway Spruce	<i>Picea abies</i>	50	G	G	G	5			Remove
42	Norway Spruce	<i>Picea abies</i>	~35	F	FG	FG	4	10	Stem wound (M)	Remove
43	Black Walnut	<i>Juglans nigra</i>	29	G	G	G	4			Remove
44	White Mulberry	<i>Morus alba</i>	14, 16	G	G	G	4		Union at ground	Remove
45	Apple species	<i>Malus sp.</i>	44, 46	F	F	F	4	20	Stem wounds (M) with dry rot/heart rot (H)	Remove
46	Apple species	<i>Malus sp.</i>	50, 36	G	F	F	4	30		Remove
47	Manitoba Maple	<i>Acer negundo</i>	19	G	G	G	3			Remove
48	Silver Maple	<i>Acer saccharinum</i>	21	G	G	G	4			Remove
49	Manitoba Maple	<i>Acer negundo</i>	19	G	G	G	4			Remove
50	Manitoba Maple	<i>Acer negundo</i>	17	G	G	G	3		Stem wounds (L)	Remove
51	Apple species	<i>Malus sp.</i>	71	G	G	G	5		Union at 1.7 m	Remove
52	Black Walnut	<i>Juglans nigra</i>	22	G	G	G	4			Remove
53	Silver Maple	<i>Acer saccharinum</i>	65	G	G	G	6		Seam	Remove
54	Silver Maple	<i>Acer saccharinum</i>	60, 38	G	G	G	6		Union at 0.6 m	Remove
55	Black Walnut	<i>Juglans nigra</i>	~16	G	G	G	4			Remove
56	Black Walnut	<i>Juglans nigra</i>	~15	G	G	G	3			Remove
57	White Mulberry	<i>Morus alba</i>	~26, 29, 28, 27	G	G	G	5			Remove
58	Manitoba Maple	<i>Acer negundo</i>	67	G	G	G	6		Union at 2 m	Remove
59	Manitoba Maple	<i>Acer negundo</i>	25, 31	G	G	G	4		Union at ground	Remove
60	Apple species	<i>Malus sp.</i>	~55	G	FG	FG	4	10		Remove
61	Apple species	<i>Malus sp.</i>	26, 32, 35	G	FG	FG	5	10	Union at 0.9 m	Remove
62	Pear species	<i>Pyrus sp.</i>	45	P	PF	PF	3	70	More than 50% of the trunk is missing and <30% of shell wall remaining	Remove
63	Black Walnut	<i>Juglans nigra</i>	33	G	G	FG	4			Remove
64	Catalpa species	<i>Catalpa sp.</i>	86	G	G	G	6		Union at 2 m	Remove
65	Pear species	<i>Pyrus sp.</i>	55, 15	PF	FG	FG	4	10	Union at ground, cavity (H) with heart rot	Remove
66	Green Ash	<i>Fraxinus pennsylvanica</i>	22	P	P	P	1	95	EAB infestation	Remove
67	Green Ash	<i>Fraxinus pennsylvanica</i>	~15, 16	P	P	P	2	80	Union at ground, epicormic branching (H), EAB infestation	Remove
68	Honey Locust (shademaster)	<i>Gleditsia triacanthos var inermis 'Shademaster'</i>	38, 28	G	G	G	6		Union at 0.4 m	Remove

Tree Inventory and Preservation Plan, 91 & 131 Eglinton Avenue East, Mississauga, Ontario

69	Apple species	<i>Malus sp.</i>	~16	PF	F	F	3		2 dead limbs/stems still attached, cavity (H) with heart rot	Remove
70	White Mulberry	<i>Morus alba</i>	29	G	G	G	4			Remove
71	Apple species	<i>Malus sp.</i>	25	FG	FG	FG	3		Stem wound (M), bowed (L) east	Remove
72	Apple species	<i>Malus sp.</i>	31, 26, 28, 23	G	G	G	5		Union at 1.2 m	Remove
73	Apple species	<i>Malus sp.</i>	39, 48, 40	G	G	G	5		Stem wound (L), union at 0.6 m	Remove
74	Apple species	<i>Malus sp.</i>	48, 36	G	G	FG	5	10	Epicormic branching (L)	Remove
75	Apple species	<i>Malus sp.</i>	32, 37, 34	F	F	F	5	20	Stem wounds (M), union at 0.5 m	Remove
76	Apple species	<i>Malus sp.</i>	17, 18, 19, 18	G	G	G	3		Unions at 0.4 and 0.6 m	Remove
77	Apple species	<i>Malus sp.</i>	18, 14	G	G	G	3		Union at 0.8 m	Remove
78	English Walnut	<i>Juglans regia</i>	23	FG	FG	FG	3		Pruning wounds (H), seam (L)	Remove
79	Sugar Maple	<i>Acer saccharum</i>	36	G	G	G	4			Remove
80	Sugar Maple	<i>Acer saccharum</i>	25	G	G	G	4			Remove
81	Sugar Maple	<i>Acer saccharum</i>	46	FG	G	G	5		Union at 2 m w included bark (M)	Remove
82	Eastern White Cedar	<i>Thuja occidentalis</i>	41	G	G	G	3		Union at 2 m	Remove
83	Pear species	<i>Pyrus sp.</i>	51	F	FG	F	3	10	Union at 1.3 m, crack (H)	Remove
84	Pear species	<i>Pyrus sp.</i>	28, 21, 25, 3	FG	G	FG	4		Union at 0.3 m	Remove
85	Pear species	<i>Pyrus sp.</i>	35, 15, 19	FG	G	G	3		Unions at 0.4 and 1 m	Remove
86	Pear species	<i>Pyrus sp.</i>	36, 30	PF	F	F	3		Union at 0.3 m with cavity (H) and heart rot	Remove
87	Pear species	<i>Pyrus sp.</i>	29, 31	F	FG	FG	4	10	Union at g with cavity (M) and heart rot	Remove
88	Pear species	<i>Pyrus sp.</i>	32, 22, 29, 17	F	F	F	4	20	2 hollow stems	Remove
89	Pear species	<i>Pyrus sp.</i>	38, 14, 15	G	G	G	4		Union at 0.5 m	Remove
90	Apple species	<i>Malus sp.</i>	41, 40	F	G	G	4			Remove
91	Apple species	<i>Malus sp.</i>	51	F	G	G	3		Pruning wounds (M) with cavities (M) with heart rot	Remove
92	Apple species	<i>Malus sp.</i>	49, 40, 39	FG	G	G	5		Union at 1 m with cavity (M) with heart rot	Remove
93	Pear species	<i>Pyrus sp.</i>	~14, 15	G	F	F	2	30	Union at 0.3 m	Remove
94	Apple species	<i>Malus sp.</i>	36, 38, 30	FG	FG	FG	4	10	Stem wounds (L)	Remove
95	White Pine	<i>Pinus strobus</i>	62	G	FG	G	7			Remove
96	Pear species	<i>Pyrus sp.</i>	33	P	PF	PF	3	50	Cavity at flare (H) with heart rot	Remove
97	White Spruce	<i>Picea glauca</i>	29	G	G	FG	3			Remove
98	Red Pine	<i>Pinus resinosa</i>	38	G	FG	FG	4	10		Remove
99	Pear species	<i>Pyrus sp.</i>	35	G	FG	FG	3	10		Remove
100	Pear species	<i>Pyrus sp.</i>	56	P	F	F	3		Cavity (H) with heart rot -> more than 50% of the trunk is missing and <30% of shell wall remaining	Remove
101	Apple species	<i>Malus sp.</i>	45, 34	F	FG	FG	5	10	Cavity (H) at flare with heart rot	Remove
102	Apple species	<i>Malus sp.</i>	34, 34, 33, 36	G	G	FG	5	10	Union at 0.7 m	Remove
103	Apple species	<i>Malus sp.</i>	56, 38	FG	FG	FG	5	15	Cavity (L) with heart rot (L)	Remove
104	Norway Maple	<i>Acer platanoides</i>	42	G	G	G	6	0		Remove
105	Pear species	<i>Pyrus sp.</i>	31	FG	FG	F	3	20	Cavity (L) at flare	Remove
106	White Spruce	<i>Picea glauca</i>	33	G	G	G	4			Remove
107	Silver Maple	<i>Acer saccharinum</i>	45, 49	G	G	G	7		Union at 0.7 m	Remove
108	Eastern White Cedar	<i>Thuja occidentalis</i>	24	G	G	G	2			Remove
109	Silver Maple	<i>Acer saccharinum</i>	60	G	G	G	7			Remove
110	Norway Spruce	<i>Picea abies</i>	45	G	G	G	5			Remove
111	Silver Maple	<i>Acer saccharinum</i>	94	G	G	G	10		Union at 2.5 m	Remove
112	Silver Maple	<i>Acer saccharinum</i>	87	G	G	G	10		Union at 2 m	Remove
113	Large-tooth Aspen	<i>Populus grandidentata</i>	42	G	G	G	4			Remove
114	Apple species	<i>Malus sp.</i>	60	PF	FG	F	6		cavities (H) with heart rot (H)	Remove
115	Norway Maple	<i>Acer platanoides</i>	93	G	G	G	9		Girdling root (L)	Remove
116	Catalpa species	<i>Catalpa sp.</i>	77	FG	FG	FG	6		Growth deficite (L), spiral grain	Remove
117	Apple species	<i>Malus sp.</i>	46, 50	FG	G	G	5		Union at 0.8 m, cavity (L)	Remove
118	Pussy willow	<i>Salix discolor</i>	34	G	G	G	4			Remove
119	Catalpa	<i>Catalpa spp.</i>	83	G	G	G	5			Remove
120	Catalpa	<i>Catalpa spp.</i>	71	G	G	G	4			Remove
121	Apple species	<i>Malus sp.</i>	53, 54, 60	F	FG	FG	5	10	Union at 0.7 m, epicormic branching (M), pruning wounds (M) with heart rot, stem wounds (M)	Remove
122	Apple species	<i>Malus sp.</i>	33, 31, 55	G	G	G	5		Union at 1 m, cavities (M) with heart rot	Remove
123	Pussy willow	<i>Salix discolor</i>	~38, 20, 17, 19	FG	FG	FG	3		Union at ground	Remove
124	White Spruce	<i>Picea glauca</i>	30	G	FG	G	4		Shading from neighbouring tree	Remove
125	Manitoba Maple	<i>Acer negundo</i>	45	G	FG	G	4		Poor form (L)	Remove
126	Eastern White Cedar	<i>Thuja occidentalis</i>	~22	G	G	G	2			Remove
127	Eastern White Cedar	<i>Thuja occidentalis</i>	20, 10, 12	G	G	G	2		Union at 0.4 m	Remove
128	Pussy willow	<i>Salix discolor</i>	18, 19, 15	G	FG	FG	3	10	Union at 0.3	Remove
129	Pussy willow	<i>Salix discolor</i>	~28, 26	F	FG	FG	3		Union at 0.3 m with rot	Remove
130	Eastern White Cedar	<i>Thuja occidentalis</i>	~32	G	G	G	2		Union at 1.6 m	Remove
131	Eastern White Cedar	<i>Thuja occidentalis</i>	~33	G	G	G	3		Fill on neighbouring property covering a portion of the rootzone	Remove
132	Eastern White Cedar	<i>Thuja occidentalis</i>	~33	G	G	G	3		Union at 1.8 m, fill on neighbouring property covering a portion of the rootzone	Remove
133	Eastern White Cedar	<i>Thuja occidentalis</i>	~38	G	G	G	3		Union at 2 m, fill on neighbouring property covering a portion of the rootzone	Remove
134	Eastern White Cedar	<i>Thuja occidentalis</i>	~17, 14	G	G	G	3		Union at 1.5 m, fill on neighbouring property covering a portion of the rootzone	Remove
135	Pussy willow	<i>Salix discolor</i>	~15	G	G	G	2			Remove
136	Pussy willow	<i>Salix discolor</i>	~20, 22	FG	G	G	3		Union at 1.2 m	Remove
137	Pear species	<i>Pyrus sp.</i>	15, 23, 17	F	F	PF	2	40	Union at 0.4 m, cavity (M) with heart rot	Remove
138	Pear species	<i>Pyrus sp.</i>	46	F	FG	FG	3		cavity (H) with heart rot	Remove

Tree Inventory and Preservation Plan, 91 & 131 Eglinton Avenue East, Mississauga, Ontario

139	Pussy willow	<i>Salix discolor</i>	~15, 14	FG	F	F	3	20	Union at 1 m	Remove
140	Pussy willow	<i>Salix discolor</i>	~17	FG	G	G	3		Stem wound(L)	Remove
141	Apple species	<i>Malus sp.</i>	20, 22	G	G	G	3		Union at ground	Remove
142	White Elm	<i>Ulmus americana</i>	~24, 19, 18	F	FG	G	4		Included wire fence (L), union at 1 m with included bark	Remove
143	Pussy willow	<i>Salix discolor</i>	~28, 32	FG	FG	FG	3	15	Included wire fence, union at 0.8 m	Remove
144	Pussy willow	<i>Salix discolor</i>	~25, 20, 21	F	F	F	3	15	Union at 1.2 m, 1 failed stem	Remove
145	Pussy willow	<i>Salix discolor</i>	~28, 22	FG	FG	FG	3	10	Union at 1 m	Remove
146	Pussy willow	<i>Salix discolor</i>	~15, 10	FG	FG	FG	2	10	Union at 0.3 m	Remove
147	Silver Maple	<i>Acer saccharinum</i>	16	G	G	G	2			Remove
148	Honey Locust (shademaster)	<i>Gleditsia triacanthos var inermis 'Shademaster'</i>	34	G	G	G	4			Remove
149	Honey Locust (shademaster)	<i>Gleditsia triacanthos var inermis 'Shademaster'</i>	~16	G	G	G	4		Included wire fence (L)	Remove
150	Silver Maple	<i>Acer saccharinum</i>	~110	F	F	F	12		Co-dominance at 1.6m (3 stems), broken branches (M), dead branches (L)	Remove
151	Silver Maple	<i>Acer saccharinum</i>	~25	F	F	F	6		Topped at 5m, coppice growth (H)	Preserve
152	Silver Maple	<i>Acer saccharinum</i>	~25	F	F	F	6		Topped at 5m, coppice growth (H)	Preserve
153	Silver Maple	<i>Acer saccharinum</i>	~38	F	F	F	8		Topped at 5m, coppice growth (H)	Preserve
154	Silver Maple	<i>Acer saccharinum</i>	~32	F	F	F	8		Topped at 5m, coppice growth (H)	Preserve
155	Norway Maple	<i>Acer platanoides</i>	~28	F	F	F	6		Topped at 5m, coppice growth (H), seam (L)	Preserve
156	Silver Maple	<i>Acer saccharinum</i>	~32	F	F	F	8		Topped at 5m, coppice growth (H)	Preserve
157	Silver Maple	<i>Acer saccharinum</i>	~33	F	F	F	8		Topped at 5m, coppice growth (H)	Preserve
158	Silver Maple	<i>Acer saccharinum</i>	~28	F	F	F	7		Topped at 5m, coppice growth (H)	Preserve
159	Silver Maple	<i>Acer saccharinum</i>	~38	F	F	F	8		Topped at 5m, coppice growth (H)	Preserve
160	Norway Maple	<i>Acer platanoides</i>	~28	G	G	FG	6		Union at 2m	Preserve
161	Norway Maple	<i>Acer platanoides</i>	~26	G	G	FG	6		Union at 3m	Preserve
162	Norway Maple	<i>Acer platanoides</i>	~32	G	G	F	6	20	Union at 2m, sparse crown (M)	Preserve
163	Norway Maple	<i>Acer platanoides</i>	~28	G	G	FG	6		Union at 2m	Preserve
164	Norway Maple	<i>Acer platanoides</i>	~23	FG	G	FG	6		Sweep (L), co-dominance at 4m	Preserve
165	Manitoba Maple	<i>Acer negundo</i>	10, 8	F	F	F	3		Union at 1.2m, bow (M) to west	Remove
166	Norway Maple	<i>Acer platanoides</i>	~23	G	G	FG	6			Preserve
167	Norway Maple	<i>Acer platanoides</i>	~22	G	G	F	4		Pruning wounds (L), small crown	Preserve
168	Norway Maple	<i>Acer platanoides</i>	~32	FG	G	FG	6		Union at 1.8m, pruning wounds (L)	Preserve
169	Norway Maple	<i>Acer platanoides</i>	10, 8	F	F	F	2		Union at 0.3m with included bark (M), asymmetrical crown (M), crook (M)	Remove
170	Norway Maple	<i>Acer platanoides</i>	~23	G	G	FG	6			Preserve
171	Norway Maple	<i>Acer platanoides</i>	~23	G	G	FG	6			Preserve
172	Silver Maple	<i>Acer saccharinum</i>	~36	FG	G	FG	8		Union at 2m, epicormic branches (M)	Preserve
173	Silver Maple	<i>Acer saccharinum</i>	~38	FG	F	F	6		Union at 1.6m (3 stems), pruning wounds (M), lion tailing, epicormic branches (M)	Preserve
174	Silver Maple	<i>Acer saccharinum</i>	~36	FG	F	F	6		Sparse crown (M), epicormic branches (M)	Preserve
175	Norway Maple	<i>Acer platanoides</i>	~23	FG	G	FG	5			Preserve
176	Silver Maple	<i>Acer saccharinum</i>	~32	F	FG	F	6		Bow (L), topped at 4m, coppice growth (H), epicormic branches (M)	Preserve
177	Silver Maple	<i>Acer saccharinum</i>	~22	F	F	F	5		Topped at 4m, coppice growth (H), epicormic branches (M)	Preserve
178	Silver Maple	<i>Acer saccharinum</i>	~23	F	F	F	6		Topped at 4m, coppice growth (H), epicormic branches (M)	Preserve
179	Sweet Cherry	<i>Prunus avium</i>	~15	G	G	FG	6		Union at 1.6m	Preserve
180	Silver Maple	<i>Acer saccharinum</i>	~28	F	F	F	6		Co-dominance at 1.6m, topped at 4m, coppice growth (H), epicormic branches (H)	Preserve
181	Silver Maple	<i>Acer saccharinum</i>	~26	F	F	F	6		Topped at 4m, coppice growth (H), epicormic branches (H), grape vine competition (M)	Preserve
182	Little-leaf Linden	<i>Tilia cordata</i>	~24	G	G	FG	6			Preserve
183	Little-leaf Linden	<i>Tilia cordata</i>	~24	G	G	FG	6		Bow (L)	Preserve
184	Pear species	<i>Pyrus sp.</i>	13, 10	FG	G	FG	5		Union at base, sweep (L)	Remove

Codes		
DBH	Diameter at Breast Height	(cm)
TI	Trunk Integrity	(G, F, P)
CS	Crown Structure	(G, F, P)
CV	Crown Vigor	(G, F, P)
CDB	Crown Die Back	(%)
DL	Dripline	(m)
EAB	Emerald Ash Borer	
~ = estimate, G=Good, F=Fair, P=Poor		